

COLLECTION 80



80 YEARS OF
ESSERT-ILLUMINATIONEN

Light Emotions






230V EasyPlug




Products featuring the EasyPlug symbol are equipped with a fast and secure connection system.

Thanks to the extensive range of original accessories and endless connection possibilities, this system simplifies installation at all stages of assembly.

24V EasyPlug

Our 24V products are also equipped with EasyPlug connections.

-  DEGREE OF PROTECTION IP67
-  Protection CLASS II
-  Protection CLASS III

-  BEAM ANGLE 360 °
-  RATED VOLTAGE 24 V
-  RATED VOLTAGE 230 V

-  PREMIUM QUALITY
-  ECO-FRIENDLY
-  Suitable for indoor and outdoor use



80 YEARS OF
ESSERT-ILLUMINATIONEN

Light Emotions

Collection 80 LED-String lights

EasyPlug-System	4
LED-Rope light 230 V incl. accessories	8
LED-String lights 230 V	14
LED-Icicle-lights 230 V	30
LED-Curtain lights 230 V	36
LED-Drop bulbs	54
Illumination-String lights	56
Accessories for LED-String lights 230 V	58
LED-String lights 24 V	62
Tree spotlights 24 V	74
Accessories 24 V	76
Projections	80

**Our collection of high-quality
LED motifs begins on page 83.**

ESSERT Illuminationen

Andreas Essert e.K.

Etterweg 39

D-63928 Eichenbühl

Tel. +49 (0) 9371-9474-200


Fax +49 (0) 9371-9474-222

E-Mail: licht@essert.de

www.essert.de



 [essert_illuminationen](#)

 [Essert-Illuminationen](#)

 [Essert-Illuminationen](#)

SIMPLE - FAST - SAFE:

EasyPlug



Flexibility in every regard

EasyPlug – our new connection system

Simple:

All products can be connected, linked, and disconnected using an identical plug-and-socket system, without the need for any tools. Even for large-scale illuminations, only a small number of power feed-ins are required.

Fast:

Installation and assembly times are reduced thanks to the simple application.

Flexible:


The wide range of T-connectors and extension cables enables numerous lighting variations and custom designs tailored to customer requirements.

Safe:

IP67 is our standard: Protection against ingress of dust and water.

Compatible:

With the help of adapters, existing IP44 installations can also be connected to the new IP67 system.



Maximum Safety with IP67 Protection

Our EasyPlug connectors feature special internal seals that ensure complete protection against the ingress of dust and water.

As our standard protection rating, IP67 guarantees total dust-tightness and protection against water ingress during temporary immersion for up to 30 minutes (at depths of up to 1 meter). Double sealing rings provide additional protection.

This ensures maximum safety both during installation and in everyday use.





LED-Rope light

230 Volt

Radiant lighting effects in warm white, brilliant white, or colored versions make our LED light tube a highly versatile design element. Whether installed as a standalone feature or incorporated into decorative motifs, the LED light tube delivers outstanding quality while maintaining extremely low power consumption. The 45 m reel can be cut at 1.5 m intervals, allowing for customized configurations.



New to our range is the Neonflex light tube with a neon-style appearance and SMD LEDs. It creates a pleasantly bright and diffused lighting effect, while the opal surface ensures a uniform visual appearance. The 50 m reel can be cut at 0.5 m intervals, providing even greater flexibility for custom installations.

LED RL36	45 m	1620 LED	Page	10
LED NF284	50 m	14200 SMD	Page	12

High luminous output
High brilliance
Impact-resistant

Low power consumption
Low heat emission
Replaceable components





Outstanding Light Performance -

Thanks to the horizontal arrangement of the LEDs and a 360° beam angle, the LEDs are clearly visible from all sides. The rope light reel includes: PR1 RL M and AC2 LED EU.

Particularly suitable for:
Contour lighting

LED RL36 W

○○○ LED white

301-001E

LED RL36 WW

○○○ LED warm-white

301-009E

LED RL36 B

●●● LED blue

301-002E

LED RL36 G

●●● LED green

301-003E

LED RL36 R

●●● LED red

301-004E

LED RL36 Y

○○○ LED yellow

301-005E

Length	45 m
Diameter	13 mm
Number of LEDs	36 LED/m
LED spacing	2,8 cm
Rated voltage	230 V
Rated power	1,9 W/m
Light flux	180 lm/m
Expandable	2 Reels = 90 m
Cutable	every 1,5 m

Additional accessories can be found on pages 58-61.



PR1 RLM



Contents: Connection cable with plug, SP2 pin, SH-03 heat-shrink tubing, EC01-RL end cap, adhesive.

Cable black  **330-005E**
 Cable white  **330-055E**

Length **0,5 m** Voltage **230 V**
 IP rating **IP67** Power **max. 1500 W**
 Rubber cable **H05RN-F**

PR1 RLF



Contents: Connection cable with socket, SP2 pin, SH-03 heat-shrink tubing, EC01-RL end cap, adhesive.

Cable black  **330-060E**
 Cable white  **330-061E**

Length **0,5 m** Voltage **230 V**
 IP rating **IP67** Power **max. 1500 W**
 Rubber cable **H05RN-F**

SP2



Connection pin for rope light – connection cable

330-009E

SC2



Connection pin for rope light – rope light

330-011E

SH03




Heat-shrink tubing with inside adhesive transparent **330-007E**

EC01 RL



End cap for rope light, Ø 13mm transparent **330-008E**



New: Neonflex-Rope light


The SMD LEDs are arranged with a short spacing in two outward-facing directions (360° effect), resulting in a uniform light distribution. Together with the opal surface, this creates a modern neon look. Each reel includes: PR1 NF M, AC2 LED EU.

LED NF284 W
○○○ LED white **305-021E**

LED NF284 WW
○○○ LED warm-white **305-028E**

Length	50 m
Diameter	16 mm
Number of LEDs	284 LED/m
LED spacing	0,35 cm
Rated voltage	230 V
Rated power	9 W/m
Light flux	1.420 lm/m
Cuttable	every 0,5 m

Additional accessories can be found on pages 58-61.



PR1 NF M



Contents: Connection cable with plug, SP2 pin, SH-03 heat-shrink tubing, EC01-RL end cap, adhesive.

Cable black  **305-005E**
 Cable white  **305-055E**

Length **0,5 m** Voltage **230 V**
 IP rating **IP67** Power **max. 1500 W**
 Rubber cable **H05RN-F**

PR1 NF F



Contents: Connection cable with socket, SP2 pin, SH-03 heat-shrink tubing, EC01-RL end cap, adhesive.

Cable black  **305-060E**
 Cable white  **305-061E**

Length **0,5 m** Voltage **230 V**
 IP rating **IP67** Power **max. 1500 W**
 Rubber cable **H05RN-F**

SP2 NF



Connection pin for rope light – connection cable

305-011E

SC2 NF



Connection pin for rope light – rope light

305-012E

SH03



Heat-shrink tubing with inside adhesive transparent **330-007E**

EC01 NF



End cap for Rope light, Ø 16mm transparent **305-013E**



Keines
Menschen
Geist hält
den Lauf
der Sonne,
Mond und
Sternen auf.

den
Götzen
in Gerichts

den
Götzen
in Gerichts

LED-Light strings

230 Volt

Our versatile string light system offers the right LED string lights for every design requirement. Trees, buildings, streets, and Christmas markets are beautifully illuminated with our products.

The LED string lights are available in different lengths and with various bulb spacings, allowing the most suitable string light to be selected for each application. Different light colors and RGB lighting complete the range. With the EasyPlug system, string lights and accessories can be easily connected.

LED ST100 RGB	10 m	100 LED	Page	16
LED ST40	4 m	40 LED	Page	18
LED ST180	10 m	180 LED	Page	20
LED ST190	20 m	188 LED	Page	21
LED ST800	100 m	760 LED	Page	22
LED STP90	2,5 m	90 LED	Page	24
LED GL90	4,5 m	90 LED	Page	26
LED MST400	100 m	400 x 2 LED	Page	28

The EasyPlug system connects LED string lights in a simple and secure way, thereby reducing the number of connections and installation time.

High luminous output
High brilliance
Impact-resistant

Low power consumption
Low heat emission
Replaceable components





LED ST100

LIGHT STRINGS


230V **EasyPlug**



Color effects -

Our new string light with high-quality RGB LEDs delivers impressive color experiences.

Particularly suitable for:
Small trees and buildings



Up to 8 selectable color variants, plus combinations with wave, flash, color change, fade, and multicolor effects.

Countless effects can be selected via remote control.

Length	10 m
Number of LEDs	100 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	12 W
Light flux	500 lm
Expandable	10 pieces = 100 m

Additional accessories can be found on pages 58-61.



LED ST100 RGB

LED ST100 RGB

● ● ● LED RGB

Cable black  **115-112E**

Cable white  **115-012E**

CONTROLLER WITH REMOTE CONTROL

CTR-ST-RGB - 120W

Cable white  **115-021E**






LED ST40

LIGHT STRINGS

230V **EasyPlug**



LED ST40 W

○○○ LED white

Cable white

~ 101-201E

Cable black

~ 101-211E

LED ST40 WW

○○○ LED warm-white

Cable white

~ 101-208E

Cable black

~ 101-218E

LED ST40 B

●●● LED blue

Cable white

~ 101-202E

LED ST40 G

●●● LED green

Cable white

~ 101-204E

LED ST40 R

●●● LED red

Cable white

~ 101-205E


Compact and elegant -

A wide range of variations defines our shortest string light. LED colors and cable colors allow virtually any design requirement to be realized, for example for small trees.

Particularly suitable for:
Small trees and buildings

Length	4 m
Number of LEDs	40 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	3 W
Light flux	200 lm
Expandable	20 pieces = 80 m

Additional accessories can be found on pages 58-61.





Voluminous and brilliant -

The particularly close bulb spacing provides high light output with a short cable length.

Particularly suitable for:
Small trees and buildings



LED ST180 W

○○○ LED white

Cable white

~ 101-141E

Cable black

~ 101-041E

LED ST180 WW

○○○ LED warm-white

Cable white

~ 101-148E

Cable black

~ 101-048E

Length	10 m
Number of LEDs	180 LED
LED spacing	5,5 cm
Rated voltage	230 V
Rated power	9 W
Light flux	900 lm
Expandable	20 pieces = 200 m

Additional accessories can be found on pages 58-61.



LED ST190

LIGHT STRINGS

230V **EasyPlug**



Energy-efficient -

All our LED light strings are particularly energy-saving and long-lasting. Even after 10,000 operating hours, the light output remains at 90%.

Particularly suitable for:
Trees and architectural elements



LED ST190 W

○○○ LED white

Cable white

 **101-062E**

Cable black

 **101-061E**

LED ST190 WW

○○○ LED warm-white

Cable white

 **101-068E**

Cable black

 **101-168E**

Length	20 m
Number of LEDs	188 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	12,5 W
Light flux	940 lm
Cut into	2 segments each 10 m
Expandable	10 pieces = 200 m

Additional accessories can be found on pages 58-61.






LED ST800

LIGHT STRINGS

230V **EasyPlug**



Versatile and easy -

Our most versatile LED string light, conveniently supplied on a 100 m reel with cut points every 10 m. Efficient installation for large-scale projects.

Particularly suitable for:
Buildings, trees, squares, landscapes, and distinctive architectural structures



LED ST800 WW-WF



LED ST800 W

○○○ LED white

Cable white

~ 101-161E

Cable black

~ 101-081E

LED ST800 WW

○○○ LED warm-white

Cable white

~ 101-188E

Cable black

~ 101-088E

LED ST800 WW-WWF = 680 WW + 80 WW FLASH

○○○ LED warm-white

Cable black

~ 101-084E

Length	Reels à 100 m
Number of LEDs	760 LED
LED spacing	13 cm
Rated voltage	230 V
Rated power	31 W
Light flux	3.800 lm
Cut into	10 segments each 10 m
Expandable	2 pieces = 200 m

Additional accessories can be found on pages 58-61.





Cannoli Eis


Labkuchen-Schneiderei aus Nürnberg

Family

LED STP90

LIGHT STRINGS

230V **EasyPlug**



Brilliant contours

Structure: 30 groups of 3 lamps each, tightly grouped on the main cable, with approx. 5 cm spacing from the main cable.

Particularly suitable for:
Building outlines, overhead installations, and trees

LED STP90 WW

○○○ LED warm-white

Cable black

~ 101-044E

Dimensions	10 cm x 250 cm
Number of LEDs	90 LED
LED spacing	2,7 cm
Rated voltage	230 V
Rated power	5,5 W
Light flux	450 lm
Expandable	20 pieces = 50 m

Additional accessories can be found on pages 58-61.






© Stadtverwaltung Pirmasens, Sabine Reiser



LED GL90


230V **EasyPlug**



New: Growing Light -

Our LED string light that grows with the tree. It is particularly tree-friendly, as it adapts to the tree's growth over time. The string light can be wrapped around the trunk and branches. It is equipped with loops in the cable that release as the tree grows, providing additional cable length.

Particularly suitable for:
Permanent tree installations, especially small trees



Length	4,5 m
Number of LEDs	90 LED
LED spacing	5 cm
Rated voltage	230 V
Rated power	5,5 W
Light flux	450 lm
Expandable	20 pieces = 90 m

Additional accessories can be found on pages 58-61.

LED GL90 WW

○○○ LED warm-white

Cable black

~ 101-428E





LED MST400

LIGHT STRINGS

230V **EasyPlug**



Maxi-Licht durch Twin-Bulb-System

Larger bulbs with two LEDs each give this string light a more traditional appearance with excellent light output. The practical 100 m reel offers a cut point every 5 m.

Particularly suitable for:
Fir trees



LED MST400 W

○○○ LED white

Cable black

~ 102-091E

LED MST400 WW



○○○ LED warm-white

Cable black

~ 102-093E

Length	Reels à 100 m
Number of LEDs	400 x 2 LED
LED spacing	25 cm
Rated voltage	230 V
Rated power	63,5 W
Light flux	4.000 lm
Cut into	20 segments each 5 m
Expandable	2 pieces = 200 m

Additional accessories can be found on pages 58-61.





LED-ICICLE-LIGHT

230 Volt

Different lengths of vertical light strands in the icicle lights create a romantic atmosphere in a variety of settings. The icicle design highlights building outlines and brings a wintery feel to shops and public spaces.

Thanks to the versatile EasyPlug system, combinations with any motifs are possible. This allows each project to achieve its own individual character and stand out through its uniqueness.



LED IC114	3 m x 0,5 m	114 LED	Page	32
LED IC180	3 m x 0,9 m	180 LED	Page	33
LED IC456	6 m x 1,5 m	456 LED	Page	34

The EasyPlug system connects LED light strings in a simple and secure way, thereby reducing the number of connections and installation time.

High luminous output
High brilliance
Impact-resistant


Low power consumption
Low heat emission
Replaceable components

230V **EasyPlug**





LED IC114 WW-WF


LED IC114 W

○○○ LED white
Cable white  **104-001E**

LED IC114 WW

○○○ LED warm-white
Cable white  **104-009E**
Cable black  **104-005E**

LED IC114 WW-WF = 102 WW + 12 W FLASH


○○○ LED warm-white
Cable white  **104-069E**

Dimensions	3,0 m x 0,5 m
Number of LEDs	114 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	6,8 W
Light flux	570 lm
Cut into	2 segments each 1,5 m
Expandable	20 pieces = 60 m


Additional accessories can be found on pages 58-61.



LED IC180



LED IC180 WW-WF



LED IC180 W

○○○ LED white

Cable white

104-006E

LED IC180 WW

○○○ LED warm-white

Cable white

104-008E

Cable black

104-007E

LED IC180 WW-WF = 162 WW + 18 W FLASH

○○○ LED warm-white



Cable white

104-068E

Dimensions	3,0 m x 0,9 m
Number of LEDs	180 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	9,6 W
Light flux	900 lm
Cut into	3 segments each 1,0 m
Expandable	20 pieces = 60 m

Additional accessories can be found on pages 58-61.





LED IC456 WW-WF

LED IC456 W

○○○ LED white

Cable white

~ 104-031E

LED IC456 WW

○○○ LED warm-white

Cable white

~ 104-038E

LED IC456 WW-WF = 408 WW + 48 W FLASH

○○○ LED warm-white

Cable white

~ 104-048E

Dimensions	6,0 m x 1,5 m
Number of LEDs	456 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	18,6 W
Light flux	2.280 lm
Cut into	6 segments each 1,0 m
Expandable	10 pieces = 60 m

Additional accessories can be found on pages 58-61.





.....T...
Beste Verbindungen
für Ihr Geschäft!

1&1



LED-CURTAIN-LIGHT STALACTITE & NETS

230 Volt

Here comes volume: Large areas, impressive buildings, and space-filling lighting solutions. These are the perfect applications for our LED Curtain-Light and LED Light nets. For easy installation, the Curtain-Light can be pre-mounted on rails.

LED DP1	2,0 m x 1,5 m	300 LED	Page	38
LED DP3	2,0 m x 3,0 m	600 LED	Page	40
LED DP5	2,0 m x 5,0 m	900 LED	Page	41
LED DP7	2,0 m x 7,0 m	1260 LED	Page	42
LED DP30	2,0 m x 30,0 m	480 LED	Page	44
LED SL1	0,8 m x 1,5 m	120 LED	Page	46
LED SL3	1,0 m x 3,0 m	300 LED	Page	48
LED SL5	1,0 m x 5,0 m	450 LED	Page	49
LED SL7	1,0 m x 7,0 m	600 LED	Page	50
LED NL406	2,5 m x 1,2 m	406 LED	Page	52

**Accessoires available
on request:**

Aluminium rails

1 m / 2 m

High luminous output

High brilliance

Impact-resistant

Low power consumption



Low heat emission

Replaceable components



LED DP1

230V **EasyPlug**



Versatile

Uniform and wide-area illumination characterizes our Curtain-Light. Lengths from 1–7 m perfectly cover a wide range of applications. Integrated motifs add variety and uniqueness to the designs. Custom dimensions are available on request.

Particularly suitable for:
Streets, pedestrian zones and Buildings



LED DP1 WW-WF

LED DP1 W

○○○ LED white

Cable white

~ 105-001E

LED DP1 WW

○○○ LED warm-white

Cable white

~ 105-008E

Cable black

~ 105-009E

LED DP1 WW-WF = 280 WW + 20 W FLASH

○○○ LED warm-white

Cable white


~ 105-068E

Dimensions	2,0 m x 1,5 m
Number of LEDs	300 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	25 W
Light flux	1.500 lm
Expandable	8 pieces = 16 m


Additional accessories can be found on pages 58-61.



230V **EasyPlug**



LED DP3 WW-WF



Perfect for facades -

Buildings illuminated with Curtain-Light shine brightly and are visible from afar. Various sizes highlight interesting architectural features and transform them into fascinating highlights.

Particularly suitable for:
Buildings and distinctive public-space architecture

LED DP3 W

○○○ LED white

Cable white

~ 105-011E

Cable black

~ 105-018E

LED DP3 WW

○○○ LED warm-white

Cable white

~ 105-028E

Cable black

~ 105-019E

LED DP3 WW-WF = 560 WW + 40 W FLASH

○○○ LED warm-white

Cable white

~ 105-024E

Dimensions	2,0 m x 3,0 m
Number of LEDs	600 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	50 W
Light flux	3.000 lm
Expandable	4 pieces = 8 m


Additional accessories can be found on pages 58-61.



LED DP5

CURTAIN-LIGHT

230V **EasyPlug**



High brightness -

With a 360° beam angle, our Curtain-Light illuminate in all directions and provide consistent brightness across all areas.

Particularly suitable for:
Large-scale buildings, custom overhead installations

LED DP5 W

○○○ LED white
Cable white

105-031E

LED DP5 WW

○○○ LED warm-white
Cable white

105-038E

Dimensions	2,0 m x 5,0 m
Number of LEDs	900 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	55 W
Light flux	4.500 lm
Expandable	8 pieces = 16 m

Additional accessories can be found on pages 58-61.







LED DP7

CURTAIN-LIGHT

230V **EasyPlug**



LED DP7 W

○○○ LED white

Cable white

105-051E

LED DP7 WW

○○○ LED warm-white

Cable white

105-058E


Dimensions	2,0 m x 7,0 m
Number of LEDs	1260 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	92 W
Light flux	6.300 lm
Expandable	4 pieces = 8 m

Additional accessories can be found on pages 58-61.





LED DP30



Endless expanses -

Our longest Curtain-Light for gigantic illuminated canopies – extendable up to 240 m! Extensions can be installed both horizontally and vertically.

Particularly suitable for:
Streets, pedestrian zones and Christmas markets

LED DP30 W

○○○ LED white

Cable white

105-180E

LED DP30 WW

○○○ LED warm-white

Cable white

105-185E

Cable black

105-085E

Dimensions	2 m x 30 m
Number of LEDs	480 LED
LED spacing	50 cm
Rated voltage	230 V
Rated power	36,8 W
Light flux	2.400 lm
Teilbar in	2 segments each 15 m
Expandable	10 pieces = 20 m

Additional accessories can be found on pages 58-61.







LED SL1

CURTAIN-LIGHT


230V **EasyPlug**



By bundling the ends together using cable ties, a stalactite shape is created.



LED SL1 WW-WF



Playful winter glow -

Icicles are Curtain-Light whose lower ends are gathered into a point. Available in various lengths, they give buildings a playful appearance, highlight architectural features, and imitate melting snow.

Particularly suitable for:

Buildings and Combination products with icicle lights

LED SL1 W

○○○ LED white

Cable white

~ 106-001E

LED SL1 WW

○○○ LED warm-white

Cable white

~ 106-008E

LED SL1 WW-WF = 112 WW + 8 W FLASH

○○○ LED warm-white

Cable white


~ 106-068E

Dimensions	0,8 m x 1,5 m
Number of LEDs	120 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	7,5 W
Light flux	600 lm
Expandable	20 pieces = 16 m


Additional accessories can be found on pages 58-61.



230V **EasyPlug**




By bundling the ends together using cable ties, a stalactite shape is created.




LED SL3 WW-WF


LED SL3 W

○○○ LED white
Cable white  **106-011E**

LED SL3 WW

○○○ LED warm-white
Cable white  **106-018E**

LED SL3 WW-WF = 280 WW + 20 W FLASH

○○○ LED warm-white
Cable white  **106-019E**

Dimensions	1,0 m x 3,0 m
Number of LEDs	300 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	20 W
Light flux	1.500 lm
Expandable	8 pieces = 16 m



Additional accessories can be found on pages 58-61.




LED SL5

CURTAIN-LIGHT

230V **EasyPlug**



By bundling the ends together using cable ties, a stalactite shape is created.



LED SL5 W

○○○ LED white

Cable white

106-021E

LED SL5 WW

○○○ LED warm-white

Cable white

106-028E

Dimensions	1,0 m x 5,0 m
Number of LEDs	450 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	28 W
Light flux	2.250 lm
Expandable	8 pieces = 8 m

Additional accessories can be found on pages 58-61.







LED SL7

CURTAIN-LIGHT

230V **EasyPlug**



By bundling the ends together using cable ties, a stalactite shape is created.



LED SL7 W

○○○ LED white
Cable white

106-031E

LED SL7 WW

○○○ LED warm-white
Cable white

106-038E



Dimensions	1,0 m x 7,0 m
Number of LEDs	630 LED
LED spacing	10 cm
Rated voltage	230 V
Rated power	38 W
Light flux	3.150 lm
Expandable	8 pieces = 8 m

Additional accessories can be found on pages 58-61.





LED NL406



Uniform light surfaces

Our light nets provide pleasant and evenly distributed illumination of lit areas. The Twin-Bulb system gives our light nets a brilliant glow and ensures high light output all around.

Particularly suitable for:
Globe-shaped trees, hedges, shrubs

LED NL406 WW



○○○ LED warm-white

Cable black

108-055E

Dimensions	2,5 m x 1,2 m
Number of LEDs	406 LED
Rated voltage	230 V
Rated power	27,6 W
Light flux	2.030 lm
Expandable	10 Pieces

Additional accessories can be found on pages 58-61.



Take advantage of the ESSERT LED drop bulb:

Very low energy consumption combined with an exceptionally long service life, delivering up to 90% energy and CO2 savings compared to filament bulbs. Average lifetime of up to 30,000 hours. Pleasant warm-white with a traditional bulb appearance. No laser effect, with 360° light emission. Minimal heat generation – impact-resistant plastic bulb in clear or opal 45 mm polycarbonate. Easy bulb replacement thanks to standard E27 base. Suitable for outdoor use with E27 sockets, protection rating IPX4.



Art. No.: 112-057 LED-LB-E27-WW

**Neu:
SMD-Technologie**



Art. No.: 112-061 SMD-LB-E27-WW clear



Brass base prevents oxidation.

6 warm white diodes in a transparent or opal G45 polycarbonate bulb, shatter-resistant, brass base, incandescent bulb appearance for brilliant light.

0.7 W / 230 V, 5 VA. Lumen: 31 lm.

Color temperature: 2300 K.

Luminous intensity corresponds to approximately a 7-watt incandescent bulb.

Note: The power rating of the LED lamps for E27 sockets of 5 VA per unit indicates the sizing of the electrical wiring and switches.




12 warm white SMD LEDs in a transparent G45 polycarbonate bulb, shatter-resistant, brass base, incandescent bulb appearance for brilliant light.

1.0 W / 230 V, 2 VA, 80 lm, color temperature 2300 K.

Note: The power rating of the LED lamps for E27 sockets of 2 VA per unit indicates the sizing of the electrical wiring and switches.



Art. No.: 112-050
LED-LB-E27-WW opal,
31 Lm, 2300K,
0,7 Watt/230 Volt, 5 VA





ESSERT-sockets can be installed in any position.



Art. No.: 112-057 LED-drop bulb lamp E27

Art. No.: 1028 Rubber seal E27

Art. No.: 1032 ESSERT-Flat cable socket black, E27 with rubber seal
Protection Class II, IP rating IP-54

Art. No.: 1035 ESSERT-Flat cable socket black, E27 with Rubber seal
Protection Class II, IP rating IP-54

Art. No.: 1036 Flat illumination cable
H05RNH2-F 2 x 1,5 mm²



Zürich


E27 sockets including rubber seal. VG plug, end cap. Including light source 0.7 W / 230 V E27, 5 VA. Protection class II, protection rating IP54, CE marking.



Standard-Length

- IL-100LEDW10M light strings 10 m with 10 sockets every 100 cm
- IL-50LEDW10M light strings 10 m with 20 sockets every 50 cm
- IL-33LEDW10M light strings 10 m with 30 sockets every 33 cm
- IL-25LEDW10M light strings 10 m with 40 sockets every 25 cm

Custom-made products available upon request.




Art. No.: 173010000
per element
approx. 100 cm x 150 cm
36 LEDs
25,2 Watt · 3,5 kg

Modular System-Illumination-Light strings

E27 sockets including rubber seal. EasyPlug system (IP67), Protection class II, protection rating IP44/IP67, CE marking.

Without light source – please order separately, see page 54.



Connectable segments:

- NL-IL-100-5M light strings 5 m with 5 E27-sockets every 100 cm
- NL-IL-50-5M light strings 5 m with 10 E27-sockets every 50 cm
- NL-IL-33-5M light strings 5 m with 15 E27-sockets every 33 cm

- NL-IL-100-10M light strings 10 m with 10 E27-sockets every 100 cm
- NL-IL-50-10M light strings 10 m with 20 E27-sockets every 50 cm
- NL-IL-33-10M light strings 10 m with 30 E27-sockets every 33 cm

Power cable: Art.No.: 130-050E, see Page 76.

EasyPlug accessoires, such as extensions and distributors, please order separately, see pages 58-61.



Brandenburg



Berlin-Moabit



Dachau

230V **EasyPlug**

AC2 LED EU

POWER CABLE WITH EU-PLUG



including rectifier

Cable black  **130-002E**

Cable white  **130-052E**

Length **1,5 m** Voltage **230 V**

IP rating **IP67** Power **max. 690 W**

Rubber cable **H05RN-F**

AC2 LED UK

POWER CABLE WITH UK-PLUG



including rectifier

Cable black  **130-004E**

Cable white  **130-054E**

Length **1,5 m** Voltage **230 V**

IP rating **IP67** Power **max. 690 W**

Rubber cable **H05RN-F**

AC2 LED SW

POWER CABLE WITH SWISS-PLUG



including rectifier

Cable black  **130-019E**

Cable white  **130-059E**

Length **1,5 m** Voltage **230 V**


IP rating **IP67** Power **max. 690 W**

Rubber cable **H05RN-F**



EXTENSION CABLE

ACCESSOIRES 30V



230V EasyPlug





PR05

Cable black		130-077E
Cable white		130-067E
Length	0,5 m	Voltage 230 V
IP rating	IP67	Power max. 1500 W
	Rubber cable	H05RN-F



PR1

Cable black		130-006E
Cable white		130-056E
Length	1,5 m	Voltage 230 V
IP rating	IP67	Power max. 1500 W
	Rubber cable	H05RN-F



PR3

Cable black		130-005E
Cable white		130-045E
Length	3,0 m	Voltage 230 V
IP rating	IP67	Power max. 1500 W
	Rubber cable	H05RN-F


PR5

Cable black		130-007E
Cable white		130-057E
Length	5,0 m	Voltage 230 V
IP rating	IP67	Power max. 1500 W
	Rubber cable	H05RN-F

PR10

Cable black		130-008E
Cable white		130-058E
Length	10,0 m	Voltage 230 V
IP rating	IP67	Power max. 1500 W
	Rubber cable	H05RN-F

230V EasyPlug



T2



Cable black
Cable white



130-011E
130-061E

Length **0,5 m** Voltage **230 V**
Outputs **2** Power **max. 1500 W**
IP rating **IP67** Rubber cable **H05RN-F**


Cable black
Cable white



130-009E
130-010E

Length **1,0 m** Voltage **230 V**
Outputs **2** Power **max. 1500 W**
IP rating **IP67** Rubber cable **H05RN-F**

T3



Cable black
Cable white



130-012E
130-062E

Length **0,5 m** Voltage **230 V**
Outputs **3** Power **max. 1500 W**
IP rating **IP67** Rubber cable **H05RN-F**

T6




Cable black
Cable white



130-013E
130-063E

Length **0,6 m** Voltage **230 V**
Outputs **6 + 1** Power **max. 1500 W**
IP rating **IP67** Rubber cable **H05RN-F**

DISTRIBUTOR



EC01

End caps for Light strings

black

130-016E

white

130-066E

T10



Cable black



130-023E

Cable white



130-022E

Length **1,0 m** Voltage **230 V**

Outputs **10 + 1** Power **max.1500 W**

IP rating **IP67** Rubber cable **H05RN-F**

T20



Cable black



130-015E

Cable white



130-065E

Length **2,0 m** Voltage **230 V**

Outputs **20 + 1** Power **max.1500 W**

IP rating **IP67** Rubber cable **H05RN-F**



LED-LIGHT PRODUCTS

24 Volt - low voltage

Our 24 V lighting products offer solutions for specific safety requirements of light strings, as the safety of IP67-rated low-voltage systems is ensured. Installations within reach and in publicly accessible areas are made possible with maximum safety.

With transparent cables, the light strands are almost invisible. The low-voltage light strings provide excellent brightness and brilliance, comparable to our 230 V LED lighting products.

LED RL36-24	30 m	1080 LED	Page	64
LED ST42	4 m	42 LED	Page	66
LED ST80	4 m	80 LED	Page	67
LED ST400	50 m	455 LED	Page	68
LED MST420	100 m	420 LED	Page	69
LED STP120	2,5 m	120 LED	Page	70
LED NL97	2 m x 1 m	97 LED	Page	71
LED IC144	3,0 m x 0,8 m	144 LED	Page	72
LED DP1	2,0 m x 1,5 m	280 LED	Page	73

The EasyPlug system connects LED light strings in a simple and secure way, thereby reducing connections and installation time.

High luminous output
 High brilliance
 Impact-resistant

Low power consumption
 Low heat emission
 Replaceable components



LED RL36-24

24V EasyPlug




Best light performance -

Thanks to:

- horizontal arrangement
 - 360° beam angle
- including PR1 RL M and AC2 LED EU

Particularly suitable for:
contour lighting and decorations within reach



LED RL36-24 W

○○○ LED white

999-955E

LED RL36-24 WW

○○○ LED warm-white

999-959E

Length / Reel	30 m
Diameter	11 mm
Number of LEDs	36 LED/m
LED spacing	2,8 cm
Rated voltage	24 V
Rated power	2 W/m
Light flux	180 lm/m
Expandable	1 Reel = 30 m
Cuttable	every 0,5 m

Further accessories see from page 76 (Low voltage)





PR1 RL-24 M

Cable transparent  **999-948E**

Contents:



Length	0,5 m	Voltage	24 V
IP rating	IP67	Power	max. 240 W
		PVC-Cable	H03VV-F

PR1 RL-24 F

Cable transparent  **999-946E**

Contents:



Length	0,5 m	Voltage	24 V
IP rating	IP67	Power	max. 240 W
		PVC-Cable	H03VV-F

SP2 RL-24

Connection pin for rope light – connection cable

999-881E

SC2 RL-24

Connection pin for rope light – rope light

999-944E

SH03


Heat-shrink tubing with inside adhesive transparent **330-007E**

EC01 RL-24

End cap for rope light, Ø 13mm transparent **999-945E**

LED ST42


24V **EasyPlug**



Invisible installations -

Lighting with transparent cables makes objects shine without the cables affecting the effect.

Particularly suitable for:
Indoor and outdoor decorations within reach



LED ST42 W

○○○ LED white

Cable transparent  **101-521E**


LED ST42 WW

○○○ LED warm-white

Cable transparent  **101-526E**

Length	4,0 m
Number of LEDs	42 LED
LED spacing	10 cm
Rated voltage	24 V
Rated power	1,8 W
Light flux	210 lm
Expandable	20 pieces = 80 m


Further accessories see from page 76 (Low voltage)



LED ST80

LOW VOLTAGE 24V


24V EasyPlug



Filigree und transparent -

Thanks to the close bulb spacing, this low-voltage string light achieves high luminous output with a short cable length. It is easy to decorate and provides a pleasant lighting effect.

Particularly suitable for:
Lighting small trees, also in accessible areas



LED ST80 W

○○○ LED white

Cable transparent  **101-510E**


LED ST80 WW

○○○ LED warm-white

Cable transparent  **101-518E**


Length	4,0 m
Number of LEDs	80 LED
LED spacing	5 cm
Rated voltage	24 V
Rated power	3,7 W
Light flux	400 lm
Expandable	15 pieces = 60 m

Further accessories see from page 76 (Low voltage)



LED ST400

24V **EasyPlug**



Robust und safe -

With robust rubber cables, the light strings on these two pages are highly durable and resistant.

Particularly suitable for:
Tree lighting in publicly accessible areas.



LED ST400 W

○○○ LED white

Cable black

~ 101-531E

LED ST400 WW

○○○ LED warm-white

Cable black

~ 101-538E

Length	50 m
Number of LEDs	455 LED
LED spacing	10 cm
Rated voltage	24 V
Rated power	15,6 W
Light flux	2.275 lm
Expandable	2 pieces = 100 m

Further accessories see from page 76 (Low voltage)



LED MST420



Strong lighting effect -

Excellent brightness is delivered by the classic bulb shape. Robust rubber cables and 24 V low voltage ensure safety, even in accessible areas. The practical 100 m reel offers a cut point every 5 m.

Particularly suitable for:
Fir trees in sensitive areas



Length	100 m
Number of LEDs	420 LED
LED spacing	25 cm
Rated voltage	24 V
Rated power	13,5 W
Light flux	2.100 lm
Cut into	20 segments each 5 m
Expandable	2 pieces = 200 m

Further accessories see from page 76 (Low voltage)

LED MST420 WW

○○○ LED warm-white


Cable black

102-594E



LED STP120

24V EasyPlug



Great look -

New: Our STP cluster string with 30 clusters of 4 LEDs each creates a playful and irregular appearance with high luminous intensity.

Particularly suitable for:
Creative and flexible decorations within reach

LED STP-120 W

○○○ LED white

Cable transparent  **101-571E**

LED STP-120 WW

○○○ LED warm-white

Cable transparent  **101-578E**

Length	2,5 m
Number of LEDs	120 LED
Cluster spacing	8,3 cm
Rated voltage	24 V
Rated power	5,2 W
Light flux	600 lm
Expandable	8 pieces = 20 m



Further accessories see from page 76 (Low voltage)



LED NL97

LOW VOLTAGE 24V

24V EasyPlug



Uniform -

Our light nets provide a evenly light surface. In low-voltage versions, they can also be used in accessible areas.

Particularly suitable for:

Globe-shaped trees, hedges, shrubs

LED NL-97 W

○○○ LED white

Cable black

~ 108-511E

LED NL-97 WW

○○○ LED warm-white



Cable black

~ 108-518E

Dimensions	2 m x 1 m
Number of LEDs	97 LED
Rated voltage	24 V
Rated power	6 W
Light flux	485 lm
Expandable	9 pieces

Further accessories see from page 76 (Low voltage)





Playful winter charm -

The icicle design is also available in the 24 V series and is perfect for flexible designs and combinations.

Particularly suitable for:
Contours in indoor and outdoor areas

LED IC144 W

○○○ LED white

Cable transparent  **104-501E**


LED IC144 WW

○○○ LED warm-white

Cable transparent  **104-508E**

Dimensions	3,0 m x 0,8 m
Number of LEDs	144 LED
LED spacing	10 cm
Rated voltage	24 V
Rated power	5,2 W
Light flux	720 lm
Expandable	6 pieces = 18 m



Further accessories see from page 76 (Low voltage)



LED DP1

LOW VOLTAGE 24V

24V EasyPlug



Powerful and voluminous -

Curtain-Light create striking illuminations with a strong volumetric effect.

Particularly suitable for:
Large-scale decorations in shopping centers and retail environments.

LED DP1 W

○○○ LED white

Cable transparent  **105-501E**


LED DP1 WW

○○○ LED warm-white

Cable transparent  **105-508E**

Dimensions	2 m x 1,5 m
Number of LEDs	280 LED
LED spacing	10 cm
Rated voltage	24 V
Rated power	10,0 W
Light flux	1.400 lm
Expandable	8 pieces = 16 m

Further accessories see from page 76 (Low voltage)



TREE SPOTLIGHT



Through the targeted use of tree spotlights, new possibilities emerge to effectively integrate trees and green spaces into modern lighting installations.

In combination with our broad product range and compatibility with the EasyPlug connection system, cohesive, large-scale lighting concepts can be created that enhance the atmosphere of public spaces.

Our tree spotlights highlight individual trees, rows of trees, or park landscapes and give them a distinctive presence through light and color. Whether in warm classic white or subtle color accents, the natural structure of the trees is emphasized and effectively enhanced.

This allows squares, streets, and green areas to be harmoniously integrated into existing lighting concepts while setting targeted accents. Our tree spotlights create orientation, depth, and

atmosphere, contributing significantly to a holistic lighting design.

Thanks to our many years of experience in planning and implementing sophisticated lighting concepts, this product ideally complements our portfolio and enables us to realize individual, impressive, and sustainably effective lighting solutions for cities and public spaces.



Dimensions	22,0 x 7,0 x 6,5 cm
Number of LEDs	12 LED
Light color	warm-white
Rated voltage	24 V
Rated power	12 W
Light flux	90 lm
Expandable	up to 8 pcs (= 2 Sets)

Further accessories see from page 76 (Low voltage)



Art. No.:
LE DTL-12B-24V-WW






Creation of your individual lighting concept. With high-performance tree spotlights, we effectively highlight individual trees, groups of trees, and green areas. Available in warm white, cool white, and RGB for colored accents.





Art. No.:
LEDTL-12B-24V-RGB

Dimensions	22,0 x 7,0 x 6,5 cm
Number of LEDs	12 LED
Light color	RGB
Rated voltage	24 V
Rated power	12 W
Light flux	90 lm
Expandable	up to 8 pcs (= 2 Sets)

Further accessories see from page 76 (Low voltage)





AC2 EU

POWER CABLE WITH EU-PLUG



Cable white		130-051E
Cable black		130-050E
Length	1,5 m	Voltage 230 V
IP rating	IP67	Power max. 1500 W
	Rubber cable	H05RN-F

AC2 SW


POWER CABLE WITH SWISS-PLUG



Cable white		130-055E
Length	1,5 m	Voltage 230 V
IP rating	IP67	Power max. 1500 W
	Rubber cable	H05RN-F

AC2 UK

POWER CABLE WITH UK-PLUG



Cable white		130-053E
Length	1,5 m	Voltage 230 V
IP rating	IP67	Power max. 1500 W
	Rubber cable	H05RN-F

AC2 NA

POWER CABLE - NORTH AMERICAN-PLUG



Cable white		730-051E
Length	1,5 m	Voltage 120 V
IP rating	IP67	Power max. 800 W
	Rubber cable	H05RN-F



PS24-15

POWER SUPPLIES



Cable white  **130-211E**

Input Voltage 100-230 V AC


Output Voltage 24 V DC

Length **1,0 m** Power **15 W**

IP rating **IP67** Rubber cable **H05RN-F**

PS24-30

POWER SUPPLIES



Cable white  **130-156E**

Input Voltage 100-230 V AC

Output Voltage 24 V DC

Length **1,0 m** Power **30 W**

IP rating **IP67** Rubber cable **H05RN-F**

PS24-60

POWER SUPPLIES



Cable white  **130-155E**

Input Voltage 100-230 V AC

Output Voltage 24 V DC

Length **1,0 m** Power **60 W**

IP rating **IP67** Rubber cable **H05RN-F**

PS24-100

POWER SUPPLIES



Cable white  **130-209E**

Input Voltage 100-230 V AC

Output Voltage 24 V DC

Length **1,0 m** Power **100 W**

IP rating **IP67** Rubber cable **H05RN-F**

PS24-150

POWER SUPPLIES



Cable white  **130-151E**

Input Voltage 100-230 V AC

Output Voltage 24 V DC

Length **1,0 m** Power **150 W**

IP rating **IP67** Rubber cable **H05RN-F**

PS24-200

POWER SUPPLIES



Cable white  **130-208E**

Input Voltage 100-230 V AC

Output Voltage 24 V DC

Length **1,0 m** Power **200 W**

IP rating **IP67** Rubber cable **H05RN-F**

DISTRIBUTOR

24V EasyPlug

T2- 24V



Cable transparent  **130-215E**

Length	0,5 m	Voltage	24 V
Outputs	2	Power	max. 240 W
IP rating	IP67	PVC-Cable	H03VV-F


T10- 24V



Cable transparent  **130-216E**

Length	1,0 m	Voltage	24 V
Outputs	10 + 1	Power	max. 240 W
IP rating	IP67	PVC-Cable	H03VV-F

PR05 -24V



Cable transparent  **130-185E**

Length	0,5 m	Voltage	24 V
IP rating	IP67	Power	max. 240 W
		PVC-Cable	H03VV-F

PR1 -24V



Cable transparent  **130-188E**

Length	1,5 m	Voltage	24 V
IP rating	IP67	Power	max. 240 W
		PVC-Cable	H03VV-F

PR5 -24V



Cable transparent  **130-189E**

Length	5,0 m	Voltage	24 V
IP rating	IP67	Power	max. 240 W
		PVC-Cable	H03VV-F



Large-scale illumination of facades and ground surfaces with individual logos and Christmas greetings.



Creation of your individual projection concept.

Large-scale illumination with greetings, logos, and motifs is calculated and supplied to measure according to your requirements and local conditions.

Contact us.





Through projections, we open up new possibilities to combine Christmas illumination with a broad range of products, creating large-scale festive scenography.

With our projection systems, building surfaces can be illuminated with dynamic Christmas visuals, allowing your city to be staged in many different ways using light, color, and animated imagery. For example, a fresco can be transformed onto a church facade, wishes and messages can be displayed as text, moving stars and snow effects can be created, and many other creative solutions can be realized.

This offers our customers a new and original way to create unique and impressive Christmas installations. With our many years of experience in the production and planning of festive lighting concepts, this product extension with projections completes our portfolio and enables us to create entirely new, impressive lighting designs in public spaces.

- Various color variants: black, silver, white
- Various power options: 22 W, 40 W, 60 W, 80 W (LED)



Art. No.: 20085420-silber
30 cm x 30 cm x 20 cm
92 Watt · 4 kg

Suitable for floor, wall, and ceiling mounting.



Art. No.: 20085620-silber
30 cm x 40 cm x 25 cm
92 Watt · 4,5 kg



Suitable for pole mounting.



Traditionally innovative since 1946



Light + Emotion = Essert

Essert plans – manufactures – delivers

Request price list via email at: licht@essert.de

We are your direct partner for:

Consulting: Practical and reliable, based on many years of experience.

Manufacturing: Standard and customized solutions, including special designs.

Sales: Fair price-performance ratio.

Warranty: Highest product quality, always up to date with the latest technology.

Product range: Modern and traditional Christmas lighting, tree illumination, facade and contour lighting, shopping center lighting, projections, and thematic design.



Light Emotions

COLLECTION 80


LED-MOTIFS



80 YEARS OF
ESSERT-ILLUMINATIONEN

Light Emotions

New: ECO 3D-Printing - an eco-friendly and sustainable product	Page 88
3D-motifs - manufactured from aluminium	Page 96
3D-elements Colour Line / Silver Line - with coloured garlands	Page 98
Motifs for street illumination - Bicolor und Stardust	Page 102
Motifs for street illumination - with string lights and rope lights	Page 104
Pole motifs - with rope lights and string lights	Page 109
Illuminated lettering - with rope lights	Page 120
Motifs with garlands - with rope lights and Brillant-LED	Page 125
Branch garlands - with Mini LED	Page 132
Façon garlands - with Mini LED	Page 134
Fir garlands and wreaths - without lighting	Page 134
3D Ball - foldable	Page 136
Motifs with light bulbs - with string lights	Page 137
Branch garlands - with light bulbs	Page 138
Motifs for street illumination - with light bulbs	Page 140
Motifs - with light bulb E27	Page 144
Giant trees - in cone shape	Page 150
Motifs - made from mineral fibre	Page 156
Photopoints	Page 174
Large scale motifs - in 2D and 3D	Page 176
3D-Decorations	Page 194
Range of bauble	Page 196
Electrical equipment and mountings	Page 198



Our price list is available on request; please contact us at licht@essert.de.

Founded in 1946, ESSERT-Illuminationen is one of Germany's leading manufacturers of professional festive and Christmas lighting. Now managed by the third generation of the family under the leadership of Andreas Essert, the company combines tradition, innovation and craftsmanship at the highest level.

Creative design ideas, innovative lighting concepts, premium quality and a strong customer focus have made ESSERT-Illuminationen a leading planner and supplier throughout Europe. Thanks to our in-house production facility in Eichenbühl, Germany, we offer maximum flexibility and are able to realise highly customised projects tailored to individual customer requirements.

Our core expertise includes innovative lighting solutions for streets, public squares, buildings and trees, as well as customised aluminium structures manufactured according to client specifications. We also produce lettering, coats of arms, logos and special mounting systems, alongside high-quality, environmentally friendly and energy-efficient LED Christmas lighting and LED string lights for both indoor and outdoor applications.

A recent addition to our portfolio is illuminated 3D decoration made from mineral fibre – a sustainable, durable and versatile solution for modern festive displays. We also offer the conversion of conventional Christmas lighting systems to energy-efficient LED technology at our own facilities.

Our services include on-site consultation, digital visual presentations and the development of bespoke lighting concepts for large-scale city centre projects, often in cooperation with external lighting designers and planners. Competitive pricing, excellent service and durable premium-quality products ensure low operating costs and long-term customer satisfaction.

Our clients include municipal utilities, energy suppliers, local authorities, business associations, city management organisations, property management companies, shopping centres, furniture retailers, electrical wholesalers and industrial enterprises.

From consultancy and planning through to production and installation, we provide all services from a single source — ensuring the smooth and efficient execution of projects of every scale.



Copyright:

The images and information in this catalogue are for illustrative purposes only.


We reserve the right to make technical changes. The information in this catalogue is not contractually binding. We accept no liability for printing errors.

All products are the intellectual property of Essert-Illuminationen.

The catalogue is predated by copyright. Any reproduction for private or commercial purposes and the distribution to third parties requires the express written permission of Essert Illuminationen. All rights are reserved by Andreas Essert.

A comprehensive service – from consultation and design to manufacturing, all under one roof. Our high-quality, versatile and energy-efficient products make it possible to create stunning LED Christmas lighting concepts in countless variations. Lighting evokes a wide range of emotions and creates unforgettable atmospheres. Our illuminated works of art transform every occasion into a unique and personal experience. That is what makes us unique:

ESSERT-Illuminationen – Light Emotions.



Step 1: Enquiry

You can contact us by phone, email or via our website to request information, discuss your requirements and agree on the next steps. Having consultation, planning and production all under one roof is key to ensuring that projects of all sizes are completed quickly, smoothly and in line with your vision.

Step 2: Customer request

Let us know your ideas and requirements so that we can prepare the next steps in the best possible way. Thanks to our in-house production facilities in Eichenbühl, Germany, we offer maximum flexibility and are able to respond to individual customer needs with tailor-made solutions.



Step 3: Consultation


Depending on the scope of the project, we provide detailed consultation by phone and email. For remote consultations, high-resolution digital images (minimum 300 dpi) are helpful in enabling us to create accurate visualisations for your project.

Step 4: Concept

With decades of experience and comprehensive expertise, we create bespoke and harmonious lighting concepts tailored to projects of every scale – frequently in cooperation with external lighting planners and designers. Photorealistic visualisations allow you to experience the final concept in advance and help you select the perfect lighting solution for your individual requirements.



Step 5: Technical planning



ESSERT-Illuminationen stands for premium quality, sustainable products and energy-efficient lighting solutions. To guarantee maximum functionality and safety, we provide innovative technical solutions tailored to each project. This includes the planning of electrical connections, cable management and secure installation systems for our lighting products.

Step 6: Production

Once you have chosen your preferred products or designs, we manufacture them to the highest standards of quality and precision. As one of the leading premium manufacturers in the industry, we are committed to innovative design, premium materials, exceptional craftsmanship, easy installation and environmentally responsible production.



Step 7: Logistics

We manage the entire logistics process for you – ensuring reliable, on-time delivery of your lighting solutions exactly where they are needed. Thanks to our production site in Germany, we benefit from short transport routes, allowing for fast, efficient and environmentally conscious delivery processes.

Step 8: Installation

As a manufacturer with in-house production facilities, we are able to create customised products and bespoke mounting solutions for Advent and Christmas lighting projects. We are also happy to support your existing installation team with technical guidance and detailed information. If required, we can additionally arrange professional on-site installation.



Step 9: Showtime


The moment has arrived – your lighting is ready to illuminate Advent and winter evenings while highlighting the unique character of your location. Our lighting installations attract attention, create memorable experiences and bring festive joy to visitors of all ages. The warm and inviting atmosphere created by our brilliant illuminations transforms every visit into a truly special moment.

an eco-friendly and sustainable product – from manufacture and transport right through to use and recycling.

2D motifs with string lights:




Art. No. F-244210027 60 cm Ø · 40 LEDs · 3 W
 Art. No. F-244210031 80 cm Ø · 94 LEDs · 6,3 W
 Art. No. F-244210035 110 cm Ø · 180 LEDs · 9 W
 Art. No. F-244210039 140 cm Ø · 188 LEDs · 12,5 W



Art. No. F-254210005 60 cm Ø · 40 LEDs · 3 W
 Art. No. F-254210006 80 cm Ø · 94 LEDs · 6,3 W
 Art. No. F-254210007 110 cm Ø · 180 LEDs · 9 W
 Art. No. F-254210008 140 cm Ø · 188 LEDs · 12,5 W



Art. No. F-264210002-1
 145 cm x 52 cm
 40 LEDs · 3 W



Art. No. F-264210002
 290 cm x 75 cm
 94 LEDs · 6,3 W

2D motifs with string lights and rope lights:



★ Art. No. F-264112104
Ø 60 cm · 230 V

Art. No. F-264112105
Ø 80 cm · 230 V

Art. No. F-264112106
Ø 110 cm · 230 V

Art. No. F-264112107
Ø 140 cm · 230 V



★ Art. No. F-264415108
Ø 60 cm · 24 V

Art. No. F-264415103
Ø 80 cm · 24 V

Art. No. F-264415110
Ø 110 cm · 24 V

Art. No. F-264415111
Ø 140 cm · 24 V



★ Art. No. F-264110012
Ø 60 cm · 230 V

Art. No. F-264110013
Ø 80 cm · 230 V

Art. No. F-264110014
Ø 110 cm · 230 V

Art. No. F-264110015
Ø 140 cm · 230 V



★ Art. No. F-264110016
Ø 60 cm · 230 V

Art. No. F-264110017
Ø 80 cm · 230 V


Art. No. F-264110018
Ø 110 cm · 230 V

Art. No. F-264110019
Ø 140 cm · 230 V

3D motifs with string lights:



★ Art. No. F-244210028 60 cm Ø · 80 LEDs · 6 W
Art. No. F-244210032 80 cm Ø · 120 LEDs · 9 W
Art. No. F-244210036 110 cm Ø · 188 LEDs · 12,5 W
Art. No. F-244210040 140 cm Ø · 282 LEDs · 18,8 W



★ Art. No. F-254210024 60 cm Ø · 80 LEDs · 6 W
Art. No. F-254210025 80 cm Ø · 120 LEDs · 9 W
Art. No. F-254210023 110 cm Ø · 188 LEDs · 12,5 W
Art. No. F-254210026 140 cm Ø · 282 LEDs · 18,8 W

Examples of pole decorations with string lights:




Pole motif A) approx. 90 cm x 145 cm



Pole motif B) approx. 90 cm x 290 cm



Pole motif C) approx. 90 cm x 290 cm



Pole motif D) approx. 100 cm x 145 cm

Examples of illuminated street motifs with 2D circle:




Illuminated street motif A) approx. 90 cm x 580 cm



Illuminated street motif B) approx. 150 cm x 580 cm



Illuminated street motif C) approx. 150 cm x 580 cm



Illuminated street motif D) approx. 110 cm x 450 cm

Examples of illuminated street motifs with 2D Stars:



Illuminated street motif E) approx. 150 cm x 580 cm



Illuminated street motif F) approx. 150 cm x 580 cm



Illuminated street motif G) approx. 100 cm x 580 cm




Illuminated street motif H) approx. 150 cm x 580 cm

Our lighting solutions grow alongside your projects
– modular, flexible and expandable whenever required.

Additional elements can be added quickly, easily and precisely at any stage.

Thanks to our EasyPlug system, customised lighting combinations can be configured effortlessly and adapted to your individual requirements.



Illuminated street motif I) approx. 100 cm x 870 cm




Illuminated street motif J) approx. 150 cm x 870 cm



Illuminated street motif K) approx. 100 cm x 870 cm

Examples of illuminated street motifs with 3D motifs:



Illuminated street motif L) approx. 110 cm x 450 cm



Illuminated street motif M) approx. 100 cm x 580 cm



Illuminated street motif N) approx. 150 cm x 580 cm




Illuminated street motif O) approx. 100 cm x 580 cm



with LED lighting, warm white LED string lights, IP67
- a coloured powder coating is possible at an added cost



Art. No.: 190220063
150 cm x 150 cm x 55 cm
376 LEDs · 25 W · 9,5 kg




Art. No.: 170210016
140 cm x 140 cm x 140 cm
720 LEDs · 36 W · 7,5 kg



Art. No.: 170220017
100 cm x 100 cm x 35 cm
376 LEDs · 36,8 W · 5 kg



Art. No.: 200220084
120 cm x 180 cm x 30 cm
564 LEDs · 37,5 W · 10,5 kg



Art. No.: 190220062
250 cm x 250 cm x 250 cm
1.128 LEDs · 75 W · 29 kg



Art. No.: 202620000
3D star design (Neonflex)
with gift box
135 cm x 135 cm x 35 cm
24 V · 73,6 W · 4,5 kg



All items in this range
have a white
powder coating. Other
colours are
available on request.



Art. No.: 180030004
30 cm Ø · gold-coloured
1 Firelamp · 3 W · 1,5 kg



Art. No.: 170520001
50 cm Ø, gold-coloured
3,6 W · 24 V · 2 kg



Art. No.: 160520000
110 cm Ø · gold-coloured
10,8 W · 24 V · 5 kg



Art. No.: 170520003
35 cm Ø, gold-coloured
3,6 W · 24 V · 1,5 kg



Art. No.: 260210020
60 cm Ø, Aluminium




Art. No.: 260210021
80 cm Ø, Aluminium



Art. No.: 260210022
100 cm Ø, Aluminium

3D-elements: Colour Line

3D elements in warm white or cool white (230 V) or RGB (24 V), IP67, Luvi fairy string lights in various colours, some with a glitter effect, weatherproof, B1 flame-retardant, mounted on an aluminium profile, brilliant daylight effect.



Art. No.: 161210000
approx. 110 cm Ø, green garland
360 LEDs · 18 W · 7,5 kg



Art. No.: 160210000
approx. 110 cm Ø, without garland
188 LEDs · 12,5 W · 5 kg




Art. No.: 162210000
approx. 110 cm Ø, silver garland
188 LEDs · 12,5 W · 7 kg



Brilliant effect also during the day due to silver garland with glitter effect.

Motifs with RGB illumination for impressive plays of colour.




Art. No.: 172310005-SILBER
approx. 100 cm Ø
320 LEDs · 14,8 W · 8 kg



Art. No.: 172310002-SILBER
approx. 155 cm Ø
480 LEDs · 22,2 W · 10 kg



Art. No.: 172310010-SILBER
approx. 115 cm x 155 cm x 115 cm
320 LEDs · 14,8 W · 7,5 kg



Art. No.: 172210016-TÜRKIS
approx. 140 cm Ø
720 LEDs · 36 W · 8,5 kg

All motifs available with:

Garland colours: green, silver, golden, pink, truffle, turquoise, mint. LED colours: white, warm white.



Art. No.: 172230003-TÜRKIS
approx. 35 cm Ø
94 LEDs · 6,3 W · 2,5 kg



Art. No.: 172230003-SILBER
approx. 35 cm Ø
94 LEDs · 6,3 W · 2,5 kg





Art. No.: 172210001-TRÜFFEL
approx. 50 cm Ø
80 LEDs · 6 W · 2,5 kg



Art. No.: 172230001-ROSA
approx. 50 cm Ø
80 LEDs · 9,2 W · 2,5 kg



Art. No.: 172230001-MINT
approx. 50 cm Ø
80 LEDs · 9,2 W · 2,5 kg



Art. No.: 172210005-GOLD
approx. 100 cm Ø
360 LEDs · 18 W · 8 kg





Art. No.: 172230004-ROSA
approx. 60 cm Ø
160 LEDs · 12 W · 4 kg



Art. No.: 172210004-TRÜFFEL
approx. 60 cm Ø
160 LEDs · 18,4 W · 4 kg




Modern creations with silver garland, warm white LED string lights and cool white/warm white LED light rope, 230 V, IP67.



★ Art. No.: 162132109
approx. 210 cm x 110 cm
1026 LEDs · 67,1 W · 10 kg

★ Art. No.: 162132110
approx. 105 cm x 110 cm
350 LEDs · 20,3 W · 4 kg



★ Art. No.: 162132109
approx. 210 cm x 110 cm
1026 LEDs · 67,1 W · 10 kg



★ Art. No.: 162132107
approx. 210 cm x 70 cm
288 LEDs · 14,7 W · 6 kg

★ Art. No.: 162210000
approx. 110 cm Ø
188 LEDs · 12,5 W · 7 kg



★ Art. No.: 162132107
approx. 210 cm x 70 cm
288 LEDs · 14,7 W · 6 kg



★ Art. No.: 162132130
approx. 100 cm x 230 cm
396 LEDs · 20,4 W · 6 kg

★ Art. No.: 162132110
approx. 105 cm x 110 cm
350 LEDs · 20,3 W · 4 kg

★ Art. No.: 162132130
approx. 100 cm x 230 cm
396 LEDs · 20,4 W · 6 kg



★ Art. No.: 162132109
approx. 110 cm x 210 cm
1026 LEDs · 67,1 W · 10 kg

★ Art. No.: 162132107
approx. 70 cm x 210 cm
288 LEDs · 14,7 W · 6 kg

★ Art. No.: 162132130
approx. 100 cm x 230 cm
396 LEDs · 20,4 W · 6 kg


★ Art. No.: 98452LEDWG1-SI
approx. 90 cm x 150 cm
378 LEDs · 20 W · 4,5 kg



★ Art. No.: 91290LEDW-SI
600 cm x 130 cm
incl. 3 mineral fibre balls
434 LEDs · 27,3 W · 17,5 kg



with string lights in warm white and rope lights in cool white, 230 V, IP67



★ Art. No.: 160132131 · 1100 cm x 200 cm · 124 W · 38 kg



★ Art. No.: 160132113 · 600 cm x 150 cm · 62 W · 19 kg



★ Art. No.: 160132109
210 cm x 110 cm
52,7 W · 8,5 kg



★ Art. No.: 160132110
105 cm x 100 cm
20,3 W · 3,5 kg



★ Art. No.: 160132109
210 cm x 110 cm
52,7 W · 8,5 kg



★ Art. No.: 160132107
210 cm x 70 cm
14,7 W · 5 kg



★ Art. No.: 96119LED
65 cm x 65 cm
8,6 W · 1,5 kg



★ Art. No.: 160132107
210 cm x 70 cm
14,7 W · 5 kg



★ Art. No.: 160132130
230 cm x 100 cm
20,4 W · 5 kg



★ Art. No.: 160132110
105 cm x 110 cm
20,3 W · 3,5 kg



★ Art. No.: 160132130
230 cm x 100 cm
20,4 W · 5 kg

Motifs for street illumination - stardust collection

2D elements on aluminium profiles with warm white or cool white rope lights (230 V) and string lights, IP67, different combinations available.



Art. No.: 96602LEDW
225 cm x 65 cm
180 LEDs · 9 W · 4,5 kg



Art. No.: 96601LEDW
95 cm x 110 cm
342 LEDs · 17,6 W · 3,5 kg



Art. No.: 96603LEDW
225 cm x 65 cm
180 LEDs · 9 W · 4,5 kg



Combination of 96602LEDW + 96603LEDW + 96601LEDW + 96601LED · approx. 1200 cm · 1746 LED · 88,8 W · 28,5 kg

Further combination options:



with high-quality string lights and rope lights in warm white 230 V,
on aluminium profile, protection class II, IP67, CE mark.



★ Art. No.: 96441LEDW · 600 cm x 100 cm · 76,2 W · 14 kg



★ Art. No.: 96453LEDW · 600 cm x 150 cm · 90,5 W · 17 kg



★ Art. No.: 96454LEDWB0 · 600 cm x 100 cm · 85,2 W · 17 kg



★ Art. No.: 96440LEDW · 600 cm x 100 cm · 42 W · 8 kg



Illuminated street motifs and wall decorations with rope light and string lights 230 V, IP67. On an aluminium profile, in an aluminium frame. Also suitable for flat wall mounting.



Art. No.: 210110006
200 cm x 90 cm
31,4 W · 5,5 kg



Art. No.: 96115LEDW
40 cm x 40 cm
5,7 W · 1 kg



Art. No.: 210110006
200 cm x 90 cm
31,4 W · 5,5 kg



Art. No.: 210110005
250 cm x 90 cm
45,6 W · 8,5 kg




Art. No.: 160110011
55 cm x 70 cm
9,2 W · 1 kg



Art. No.: 210110005
250 cm x 90 cm
45,6 W · 8,5 kg



Art. No.: 97101LEDW
220 cm x 90 cm
25,7 W · 5 kg




Art. No.: 560012LEDWB0
3D-Kugel, 100 cm Ø
18,8 W · 7 kg



Art. No.: 97102LEDW
220 cm x 90 cm
25,7 W · 5 kg



Art. No.: 97201LEDW
220 cm x 100 cm
28,5 W · 5 kg



Art. No.: 560012LEDWB0
3D-Kugel, 100 cm Ø
18,8 W · 7 kg



Art. No.: 97202LEDW
220 cm x 100 cm
28,5 W · 5 kg




★ Art. No.: 96429LEDW · 200 cm x 60 cm · 41 W · 8 kg



★ Art. No.: 96433LEDW, Komet XL
400 cm x 120 cm · 84,9 W · 14,7 kg

★ Art. No.: 96433LEDW600, Komet XXL
600 cm x 180 cm · 143 W · 30,1 kg



★ Art. No.: 98LEDW300 Lichtwelle 2D warm-white
300 cm x 80 cm · 18 W · 7 kg



★ Art. No.: 160130027
150 cm x 85 cm
14,3 W · 3,8 kg

★ Art. No.: 96115-1LED
40 cm x 40 cm
2,9 W · 0,6 kg

★ Art. No.: 160130027
150 cm x 85 cm
14,3 W · 3,8 kg



★ Art. No.: 96420LEDW
230 cm x 100 cm · 45,6 W · 6 kg

★ Art. No.: 96421LEDW
230 cm x 100 cm · 45,6 W · 6 kg



★ Art. No.: 96460LEDW · 600 cm x 120 cm · 68,4 W · 15,5 kg



★ Art. No.: 210110007
200 cm x 100 cm
31,4 W · 6 kg

★ Art. No.: 210110007
200 cm x 100 cm
31,4 W · 6 kg

★ Art. No.: 210110007
200 cm x 100 cm
31,4 W · 6 kg

Pole motifs with rope lights

Pole and wall motifs with 230 V light rope, IP67.

Mounted on an aluminium profile, in an aluminium frame. Also suitable for flat wall mounting.

Alle Motive in warmwhite und kaltwhite erhältlich



Art. No.: 96116LED
white
100 cm x 95 cm
22,8 W · 3,5 kg



Art. No.: 96116LEDW
warmwhite
100 cm x 95 cm
22,8 W · 3,5 kg



Art. No.: 170110012
100 cm x 100 cm
20 W · 3 kg



Art. No.: 96138LED
55 cm x 55 cm
5,7 W · 1 kg



Art. No.: 96138LEDW
55 cm x 55 cm
5,7 W · 1 kg



Art. No.: 986502LEDW
75 cm x 75 cm
14,3 W · 2 kg



Art. No.: 95322LED
190 cm x 190 cm
134 W · 9,5 kg



Art. No.: 95322LEDW
190 cm x 190 cm
72 W · 9,5 kg



Art. No.: 210110007
100 cm x 200 cm
31,4 W · 7 kg



Art. No.: 210110012
200 cm x 200 cm
57 W · 11 kg



★ Art. No.: 98421LEDW
100 cm x 200 cm
85 W · 4 kg



★ Art. No.: 210110006
90 cm x 200 cm
31,4 W · 5,5 kg



★ Art. No.: 96422LEDW
100 cm x 230 cm
45,6 W · 7,5 kg



★ Art. No.: 210110005
90 cm x 250 cm
45,6 W · 8,5 kg



★ Art. No.: 97103LEDW
90 cm x 200 cm
25,7 W · 5,3 kg



★ Art. No.: 97203LEDW
100 cm x 220 cm
28,5 W · 5 kg



★ Art. No.: 160110027
85 cm x 150 cm
14,3 W · 3,8 kg



★ Art. No.: 220110022
115 cm x 230 cm
22,8 W · 6,6 kg



★ Art. No.: 980907LEDW
110 cm x 250 cm
39,9 W · 8,5 kg



★ Art. No.: 96217LEDW
100 cm x 130 cm
20 W · 3,5 kg



★ Art. No.: 96218LEDW
135 cm x 180 cm
31,4 W · 5,5 kg

All string light motifs are available in warm white, cool white and coloured versions.



★ Art. No.: 98452LEDW1
150 cm x 90 cm
20 W · 4 kg



★ Art. No.: 96213LEDW
140 cm x 60 cm
17,1 W · 3,5 kg



★ Art. No.: 200110081
115 cm x 45 cm x 115 cm
45,6 W · 10 kg



★ Art. No.: 97415LEDW
250 cm x 150 cm
39,9 W · 7 kg



★ Art. No.: 96133LED75
design cool white
75 cm x 75 cm
8,6 W · 3 kg

★ Art. No.: 96133LEDW75
design warm white
75 cm x 75 cm
8,6 W · 3 kg



★ Art. No.: 170130007
40 cm x 50 cm
2,9 W · 1 kg



★ Art. No.: 160130011
55 cm x 70 cm
5,7 W · 1 kg



★ Art. No.: 170130008
35 cm x 65 cm
2,9 W · 1,0 kg



★ Art. No.: 160130027
85 cm x 150 cm
14,3 W · 3,8 kg



★ Art. No.: 220130022
115 cm x 230 cm
22,8 W · 6,6 kg



Art. No.: 96152LEDW
80 cm x 80 cm
11,4 W · 1,8 kg

Art. No.: 96153LEDW
140 cm x 140 cm
25,7 W · 4 kg



Art. No.: 96154LEDW
80 cm x 80 cm
17,1 W · 2,5 kg

Art. No.: 96155LEDW
140 cm x 140 cm
25,7 W · 7 kg



Art. No.: 96117LEDW
85 cm x 85 cm
11,4 W · 2 kg

Art. No.: 96118LEDW
150 cm x 150 cm
20 W · 4 kg



Art. No.: 98437LEDW
110 cm x 110 cm
25,7 W · 4 kg



Art. No.: 170110029
100 cm x 100 cm
25,7 W · 3,5 kg



Art. No.: 96127LEDW
110 cm x 120 cm
20 W · 3,5 kg



Art. No.: 96621LEDW
100 cm x 110 cm
17,1 W · 2,5 kg



Art. No.: 96136LED
150 cm x 150 cm
37,1 W · 7,5 kg



Art. No.: 96133LED
150 cm x 150 cm
31,4 W · 7 kg



Art. No.: 95325LEDW
170 cm x 170 cm
34,2 W · 5,5 kg



Art. No.: 250110020
90 cm x 90 cm
11,4 W · 2,2 kg



Art. No.: 250110019
90 cm x 90 cm
8,6 W · 2 kg





★ Art. No.: 98452LEDW
125 cm x 140 cm
39,9 W · 8 kg
(customised production)



★ Art. No.: 98456LEDW
140 cm x 140 cm
52,4 W · 10 kg
(customised production)



★ Art. No.: 210110013
150 cm x 140 cm
51,3 W · 8 kg
(customised production)



★ Art. No.: 989415LEDW
130 cm x 130 cm
28,5 W · 6 kg
(customised production)



★ Art. No.: 210112115
70 cm x 140 cm
26,2 W · 5 kg
(customised production)



★ Art. No.: 210110014
115 cm x 190 cm
28,5 W · 5,8 kg
(customised production)



★ Art. No.: 200110026
75 cm x 140 cm
25,7 W · 4,8 kg
(customised production)



Pole motifs with string lights

2D elements on aluminium profiles with warm white or cool white rope lights (230 V), and IP67 string lights, which can be combined as desired.



★ Art. No.: 96434LEDW
60 cm x 200 cm
41 W · 8 kg



★ Art. No.: 170002128
60 cm x 200 cm
9 W · 3,5 kg



★ Art. No.: 200112151
150 cm x 150 cm
20,5 W · 4 kg



★ Art. No.: 96210LEDW
150 cm x 270 cm
41 W · 9,9 kg



★ Art. No.: 96215LEDW
150 cm x 300 cm
42,1 W · 14 kg



★ Art. No.: 96605LEDW
100 cm x 300 cm
26,6 W · 8 kg



★ Art. No.: 200112152
150 cm x 300 cm
52,6 W · 13 kg





Art. No.: 160112127
85 cm x 150 cm
20,5 W · 4 kg




Art. No.: 9755LEDW-SO
170 cm x 180 cm
48,9 W · 9 kg



Art. No.: 210112109
75 cm x 250 cm
52,4 W · 8,5 kg



Art. No.: 980904LEDW
73 cm x 250 cm
18,2 W · 4 kg



Art. No.: 210112108
90 cm x 250 cm
26,8 W · 6,5 kg



Art. No.: 160112138
90 cm x 250 cm
26,8 W · 7,5 kg



Art. No.: 180112143
90 cm x 130 cm
29 W · 4,5 kg



Art. No.: 96218LEDWLI
135 cm x 180 cm
43,6 W · 6,5 kg



Art. No.: 170112148
100 cm x 120 cm
11,8 W · 3,5 kg



★ Art. No.: 160132109
110 cm x 210 cm
52,7 W · 8,5 kg



★ Art. No.: 160132114
85 cm x 290 cm
26,8 W · 8 kg



★ Art. No.: 160132107
70 cm x 210 cm
14,7 W · 5 kg



★ Art. No.: 160132130
100 cm x 230 cm
20,4 W · 5 kg



★ Art. No.: 96436LEDW-W
80 cm x 200 cm
40,5 W · 7 kg



★ Art. No.: 160132108
95 cm x 190 cm
14,7 W · 5,5 kg



with warm white string lights and cool white rope lights, 230 V

Mounted on an aluminium profile. Aluminium frame, available with or without an outline.
230 V rope lights, IP67. CE mark.

We can produce text and logos to your specifications.



For custom-made products, please place your order by the end of August.



Art. No.: 190110056 · 650 cm x 140 cm · 131,1 W · 23 kg



Art. No.: 98504LEDW · 450 cm x 140 cm · 76 W · 14 kg - Frame with green garland, clear outline
- other versions also available



sagenhafte
Winterzeit

Art. No.: 90198LEDW · 400 cm x 140 cm · 102,6 W · 24 kg · without Outline.

Weihnachtsmarkt

Art. No.: 98303LEDW · 500 cm x 60 cm · 91,2 W · 17 kg · Green garland frame and outline.

Bahnhofstraße

Art. No.: 98521LEDW · 500 cm x 90 cm · 114 W · 25 kg







★ Art. No.: 98515LEDW · approx. 600 cm x 140 cm with outline

Willkommen zum
Weihnachtsmarkt

★ Art. No.: 90103LEDW · approx. 500 cm x 120 cm



★ Art. No.: 90148LEDW · approx. 600 cm x 140 cm

Frohe Weihnachten

★ Art. No.: I-SCHRIFT-EWP-19-25-015 · approx. 600 cm x 75 cm



★ Art. No.: 90160LEDW · approx. 600 cm x 110 cm

Merry Christmas

★ Art. No.: I-SCHRIFT-EWP-19-25-016 · approx. 600 cm x 100 cm



★ Art. No.: 90139LEDW · approx. 600 cm x 150 cm

Joyeux Noël

★ Art. No.: I-SCHRIFT-EWP-19-25-017 · approx. 430 cm x 100 cm



★ Art. No.: 90038LEDW · approx. 600 cm x 150 cm



★ Art. No.: 9001R600LEDW-90171 · approx. 600 cm x 100 cm



★ Art. No.: 90051LEDW · approx. 700 cm x 80 cm with outline



★ Art. No.: 95300LEDW · 500 cm x 120 cm Frame with green garland and clear outline.



Motifs with garlands and rope lights

The motifs can be combined as desired. Aluminium profiles with green garland mesh, 230 V, IP67 rope lights, cable, plug. For brackets and fixings, see page 199.



★ Art. No.: 98506LEDW
450 cm x 130 cm
74,1 W · 22 kg



★ Art. No. 218112123:
Light banner with a 2D mineral fibre star
90 cm x 130 cm · 23 W · 5,5 kg



★ Art. No.: 97576LEDW
350 cm x 150 cm
82,7 W · 23 kg



★ Art. No.: 99570-1LEDW
90 cm x 130 cm
28,5 W · 6 kg




★ Art. No.: 99571-1LEDW
90 cm x 130 cm
28,5 W · 6 kg



★ Art. No. 218112124:
Light banner with three 2D mineral fibre stars
105 cm x 250 cm · 37,5 W · 9,5 kg



★ Art. No.: 99551-3LEDW
105 cm x 250 cm
68,4 W · 7 kg



★ Art. No.: 99550-3LEDW
105 cm x 250 cm
68,4 W · 7 kg



Art. No.: 171112130
100 cm x 100 cm
23,4 W · 4 kg



Art. No.: 95213LEDWLi
140 cm x 60 cm
23,4 W · 4 kg



Art. No.: 96211LEDW
90 cm x 250 cm
35,3 W · 9 kg





★ Art. No.: 95215LEDW
250 cm x 100 cm
25,7 W · 7 kg

★ Art. No.: 95214LEDW
150 cm x 150 cm
31,4 W · 7,5 kg

★ Art. No.: 95216LEDW
250 cm x 100 cm
25,7 W · 7 kg



★ Art. No.: 95219LEDW
230 cm x 100 cm
31,4 W · 6,5 kg

★ Art. No.: 95217LEDW
95 cm x 130 cm
20 W · 4 kg


★ Art. No.: 95220LEDW
230 cm x 100 cm
31,4 W · 6,5 kg



★ Art. No.: 95200LEDW
200 cm x 100 cm
25,7 W · 7,5 kg

★ Art. No.: 95210LEDW
110 cm x 100 cm
14,3 W · 3,5 kg

★ Art. No.: 95201LEDW
200 cm x 100 cm
25,7 W · 7,5 kg



★ Art. No.: 95213LEDW
140 cm x 60 cm
17,1 W · 8 kg

★ Art. No.: 95213LEDW
140 cm x 60 cm
17,1 W · 8 kg






★ Art. No.: 95212LEDW · 200 cm x 100 cm
37,1 W · 7,5 kg



★ Art. No.: 95211LEDW
110 cm x 200 cm
25,7 W · 7 kg




★ Art. No.: 95213LEDW · 140 cm x 60 cm
17,1 W · 8 kg



★ Art. No.: 98452LEDWG1
90 cm x 150 cm
20 W · 4 kg



★ Art. No.: 98452LEDWG1
90 cm x 150 cm
20 W · 4 kg



★ Art. No.: 95221LEDW
100 cm x 250 cm
25,7 W · 7 kg



★ Art. No.: 95222LEDW
100 cm x 230 cm
31,4 W · 7 kg




★ Art. No.: 95218LEDW
135 cm x 180 cm
31,4 W · 7,5 kg

Motifs with string lights in warm white, 230 V, IP67.

Luvi garlands, green, weatherproof, flame-retardant (fire safety class B1).


Aluminium profiles, connection cables, plugs.




Art. No.: 94102LEDW
200 cm x 85 cm
180 LEDs · 9 W · 4 kg



Art. No.: 94100LEDW
130 cm x 130 cm
180 LEDs · 9 W · 4 kg




Art. No.: 94103LEDW
200 cm x 85 cm
180 LEDs · 9 W · 4 kg



Art. No.: 94102LEDW
200 cm x 85 cm
180 LEDs · 9 W · 4 kg



Art. No.: 94104LEDW
100 cm x 120 cm
180 LEDs · 9 W · 4 kg




Art. No.: 94103LEDW
200 cm x 85 cm
180 LEDs · 9 W · 4 kg



Art. No.: 94101LEDW
100 cm x 100 cm
188 LEDs · 12,5 W · 4,5 kg



Art. No.: 94100LEDW80
80 cm x 80 cm
180 LEDs · 9 W · 3 kg




Art. No.: 94105LEDW
150 cm x 60 cm
180 LEDs · 9 W · 3,5 kg



Art. No.: 94104LEDW
100 cm x 120 cm
180 LEDs · 9 W · 4 kg





Art. No.: 91290LEDWB0 · 600 cm x 130 cm · incl. 3 mineral fibre balls · 362 LEDs · 27,3 W · approx. 17,5 kg



Art. No.: 94108LEDW · 500 cm x 150 cm · incl. 5x Firelamp · 360 LEDs · 33 W · 18,5 kg plus star



Branch garlands Mini-LED


With LED lighting, string lights, warm white, 10 m, 180 LEDs, 9 W.
Green garland, diameter 24 cm, flame-retardant (fire safety class B1).



★ Art. No.: 11705ST180
5,40 m length · Ø 24 cm
180 LEDs · 9 W · 3,5 kg

★ Art. No.: 1809E-ST180WW
75 cm x 75 cm x 25 cm
180 LEDs · 9 W · 4 kg

★ Art. No.: 11705ST180
5,40 m length · Ø 24 cm
180 LEDs · 9 W · 3,5 kg



★ Art. No.: 11705ST180
5,40 m length · Ø 24 cm
180 LEDs · 9 W · 3,5 kg

★ Art. No.: 94100LEDW
130 cm x 130 cm
180 LEDs · 9 W · 4 kg

★ Art. No.: 11705ST180
5,40 m length · Ø 24 cm
180 LEDs · 9 W · 3,5 kg



★ Art. No.: 211032122, Ø 200 cm
incl. 4x Firelamp
376 LEDs · 37 W · 24 kg

★ Art. No.: 181032103, Ø 75 cm
incl. 4x Firelamp
180 LEDs · 21 W · 5,5 kg


★ Art. No.: 1809E-ST180WW-K
75 cm x 75 cm x 25 cm
incl. 1x Firelamp
180 LEDs · 12 W · 5 kg

LED branch garlands, available in Ø 24 cm or 30 cm, designed for outdoor use and creating an atmospheric ambience both day and night. Ideal for a wide range of decorative applications, such as illuminated street motifs, building illumination, and archway decorations.




Façon garlands with Mini-LED

Green garland, centre diameter 40 cm, flame-retardant (fire safety class B1) with warm white string lights, 360 LEDs, 230 V, IP67.



★ Art. No.: 33360LEDW - Façon garlands · 220 cm length
centre diameter 40 cm · 360 LEDs · 18 W · 4,5 kg



★ Art. No.: 33360LEDW
220 cm length
18 W · 4,5 kg

★ Art. No.: 96154LEDW
80 cm x 80 cm
17,1 W · 2,5 kg


★ Art. No.: 96154LEDW
80 cm x 80 cm
17,1 W · 2,5 kg

★ Art. No.: 33360LEDW
220 cm length
18 W · 4,5 kg


Fir garlands and wreaths



★ Art. No.: 1800 · Advent wreath
200 cm · without lighting



★ Art: 11708 T-garlands
30 cm Ø
2,70 m length



★ Art: 11705M T-garlands
24 cm Ø
5,40 m length



★ Art: 1100
6 cm Ø
5 m length




★ Art. No.: 33360 Façon garlands
220 cm · 40 cm Ø (centre)
Special sizes available on request

Fir garlands, fir wreaths
made from galvanised wire.
Rust-proof. Flame-retardant (class B1).
Weatherproof for outdoor use.



3D Ball – foldable



with 230 V string lights, partly available with garland, compact for storage



Art. No.: 406-011E
Ø 100 cm · 28 W · 8,5 kg

Art. No.: 406-010E
Ø 60 cm · 18,4 W · 5 kg

Example construction



Art. No.: DL-260210023
Ø 60 cm

Art. No.: DL-260210024
Ø 80 cm

Art. No.: DL-260210025
Ø 100 cm




Motifs with light bulb E27

Motifs with green garlands, light bulbs and warm white string lights, 230 V, IP67.




★ Art. No.: 91008LEDWTL-Li
approx. 135 cm x 150 cm
24 Light bulbs + 180 LEDs
29,3 W · 8 kg



★ Art. No.: 9421LEDWTL-Li
approx. 125 cm x 125 cm
16 Light bulbs + 180 LEDs
20,2 W · 6 kg



★ Art. No.: 8830LEDWTL-Li
approx. 135 cm x 150 cm
30 Light bulbs + 188 LEDs
30 W · 8 kg



★ Art. No.: 91005LEDWTL-Li
approx. 230 cm x 100 cm
27 Light bulbs + 360 LEDs
36,9 W · 10 kg



★ Art. No.: 91005LEDWTL-Li
approx. 100 cm x 230 cm
27 Light bulbs + 360 LEDs
36,9 W · 10 kg



★ Art. No.: 171012106
approx. 95 cm x 150 cm
28 Light bulbs + 180 LEDs
28,6 W · 6,5 kg




★ Art. No.: 9415LEDWTL-Li
approx. 120 cm x 120 cm
15 Light bulbs + 188 LEDs
23 W · 9 kg



Branch garlands with light bulbs

With lighting. E27 sockets, rubber seals, plug, end cap, green garland or available with a silver garland. Ø 24 cm, flame-retardant (fire safety class B1). Includes 0.7 W/230 V bulb, E27, protection class II, IP54




- Art. No.: 11730LEDW10M · 10 m x 0,24 m · 30 Light bulbs · 21 W · 7,4 kg
- Art. No.: 11720LEDW10M · 10 m x 0,24 m · 20 Light bulbs · 14 W · 6,8 kg
- Art. No.: 11710LEDW10M · 10 m x 0,24 m · 10 Light bulbs · 7 W · 6,3 kg

Custom-made to specification possible.
Minimum length 5 metres, maximum 30 metres..



- Art. No.: 12730LEDW · 2 lengths a 10 m · 60 Light bulbs · 42 W · 15 kg
- Art. No.: 12720LEDW · 2 lengths a 10 m · 40 Light bulbs · 28 W · 13,5 kg
- Art. No.: 12710LEDW · 2 lengths a 10 m · 20 Light bulbs · 14 W · 12,5 kg



- Art. No.: 192012109 · 600 cm x 110 cm · 30 Light bulbs + 360 LEDs · 39,4 W · 9,5 kg



A shimmering, glittering effect during the day due to the silver decorative garland, and a brilliant glow at night.



- Art. No.: 172010000
100 cm x 150 cm
36 Light bulbs · 25,2 W · 4 kg



- Art. No.: 192010071
65 cm Ø, silver garland,
20 Light bulbs · 14 W · 4,5 kg



- Art. No.: 172010000
100 cm x 150 cm
36 Light bulbs · 25,2 W · 4 kg




Motifs for street illumination with light bulbs

Includes warm white LED drop lamps with a bulb-like appearance, featuring 6 diodes in a transparent polycarbonate bulb, shatterproof, 0.7 W / 230 V, 5 VA, E27.
Essert E27 sockets with rubber seals, protection class II, IP54, CE mark.
Luvi garlands, green, weatherproof, flame-retardant (fire safety class B1). Aluminium profiles, connection cable, plug.




Art. No. 91013LEDW · 900 cm x 300 cm · 140 Light bulbs · 98 W · 30 kg



Art. No. 91004LEDW
310 cm x 120 cm
48 Light bulbs · 33,6 W · 10,1 kg



Art. No.: 91004LEDW
310 cm x 120 cm
48 Light bulbs · 33,6 W · 10,1 kg



Art. No.: 91002LEDW
220 cm x 100 cm
37 Light bulbs · 25,9 W · 6 kg




Art. No.: 9461LEDW
100 cm x 100 cm
20 Light bulbs · 14 W · 4,7 kg




Art. No.: 91003LEDW
220 cm x 100 cm
37 Light bulbs · 25,9 W · 6 kg


Natural light during the day due to green garlands; a brilliant glow at night.
Supplied without steel cables. Also suitable for flat wall mounting.



Art. No.: 91005LEDW
230 cm x 100 cm
27 Light bulbs · 18,9 W · 7 kg




Art. No.: 91005LEDW
230 cm x 100 cm
27 Light bulbs · 18,9 W · 7 kg




Art. No.: 91005LEDW
230 cm x 100 cm
27 Light bulbs · 18,9 W · 7 kg



Art. No.: 91006LEDW
100 cm x 100 cm
20 Light bulbs · 14 W · 4,5 kg




Art. No.: 91005LEDW
230 cm x 100 cm
27 Light bulbs · 18,9 W · 7 kg




Art. No.: 161010017
210 cm x 135 cm
40 Light bulbs · 28 W · 9,5 kg




Art. No.: 161010016
90 cm x 90 cm
15 Light bulbs · 10,5 W · 3,8 kg




Art. No.: 161010018
210 cm x 135 cm
40 Light bulbs · 28 W · 9,5 kg




Art. No.: 8744LEDW
230 x 100 cm
44 Light bulbs · 30,8 W · 9 kg



Art. No.: 8740LEDW
150 x 150 cm
40 Light bulbs · 28 W · 8,4 kg



Art. No.: 8745LEDW
230 x 100 cm
44 Light bulbs · 30,8 W · 9 kg



Art. No.: 97180LEDW
220 cm x 90 cm
32 Light bulbs · 22,4 W · 9 kg



Art. No.: 91006LEDW
100 cm x 100 cm
20 Light bulbs · 14 W · 4,5 kg



Art. No.: 97181LEDW
220 cm x 90 cm
32 Light bulbs · 22,4 W · 9 kg




Art. No.: 97167LEDW
220 cm x 90 cm
27 Light bulbs · 18,9 W · 6 kg



Art. No.: 8620LEDW
125 cm x 125 cm
20 Light bulbs · 14 W · 5 kg



Art. No.: 97168LEDW
220 cm x 90 cm
27 Light bulbs · 18,9 W · 6 kg



Art. No.: 2x 8746LEDW · each 380 cm x 150 cm · 84 Light bulbs · 58,8 W · 15 kg




Art. No.: 5x 8541LEDW · each 90 cm x 90 cm · 36 Light bulbs · 25,2 W · 5 kg



Motifs with light bulb E27


Includes warm-white drop lamps with a bulb-like appearance, 6 LEDs in a transparent polycarbonate bulb, shatterproof, 0.7 W / 230 V, 5 VA, E27. Essert E27 sockets with rubber seals, protection class II, IP54, CE mark. Luvi garlands, green, weatherproof, flame-retardant (fire safety class B1). Aluminium profiles, connection cable, plug.



★ Art. No.: 91006LEDW
100 cm x 100 cm
20 Light bulbs
14 W · 4,5 kg



★ Art. No.: 8510LEDW
95 cm x 95 cm
10 Light bulbs
7 W · 3,5 kg



★ Art. No.: 161010016
90 cm x 90 cm
15 Light bulbs
10,5 W · 3,8 kg



★ Art. No.: 8521LEDW
75 cm x 75 cm
10 Light bulbs
7 W · 2,8 kg




★ Art. No.: 8725LEDW
150 cm x 150 cm
25 Light bulbs
17,5 W · 7 kg



★ Art. No.: 8720LEDW
150 cm x 150 cm
20 Light bulbs
14 W · 5,5 kg




★ Art. No.: 8520LEDW
95 cm x 95 cm
20 Light bulbs
14 W · 4 kg




★ Art. No.: 91007LEDW
100 cm x 110 cm
12 Light bulbs
8,4 W · 3,5 kg



★ Art. No.: 97107LEDW
130 cm x 130 cm
24 Light bulbs
16,8 W · 4,5 kg




★ Art. No.: 8528LEDW
100 cm x 100 cm
28 Light bulbs
19,6 W · 5 kg



★ Art. No.: 8541LEDW
90 cm x 90 cm
36 Light bulbs
25,2 W · 5 kg



★ Art. No.: 8512LEDW
95 cm x 95 cm
12 Light bulbs
8,4 W · 3,5 kg




★ Art. No.: 91011LEDW
120 cm x 310 cm
48 Light bulbs
33,6 W · 11,1 kg



★ Art. No.: 91010LEDW
100 cm x 230 cm
27 Light bulbs
18,9 W · 7 kg



★ Art. No.: 9460LEDW
225 cm x 225 cm
60 Light bulbs
42 W · 12 kg




★ Art. No.: 91012LEDW
100 cm x 220 cm
37 Light bulbs
25,9 W · 6 kg



★ Art. No.: 92250LEDW
180 cm x 250 cm
43 Light bulbs
30,1 W · 12 kg



★ Art. No.: 9023LEDW
85 cm x 150 cm
23 Light bulbs
16,1 W · 7 kg



★ Art. No.: 9024LEDW
100 cm x 150 cm
22 Light bulbs
15,4 W · 6 kg



★ Art. No.: 9755LEDW
180 cm x 190 cm
55 Light bulbs
38,5 W · 12 kg



★ Art. No.: 9415LEDW
120 cm x 120 cm
15 Light bulbs
10,5 W · 7 kg




★ Art. No.: 9419LEDW
150 cm x 150 cm
19 Light bulbs
13,3 W · 8 kg




★ Art. No.: 161010015
165 cm Ø
19 Light bulbs
13,3 W · 10 kg




★ Art. No.: 9425LEDW
60 cm x 130 cm
27 Light bulbs
18,9 W · 5 kg




★ Art. No.: 8518LEDW
150 cm x 80 cm
18 Light bulbs
12,6 W · 5,5 kg




★ Art. No.: 8527LEDW
150 cm x 90 cm
27 Light bulbs
18,9 W · 7 kg




★ Art. No.: 8526LEDW
150 cm x 100 cm
27 Light bulbs
18,9 W · 6 kg



★ Art. No.: 9461LEDW
100 cm x 100 cm
20 Light bulbs
14 W · 4,7 kg



★ Art. No.: 161010059
145 cm x 85 cm
15 Light bulbs
10,5 W · 4,5 kg



★ Art. No.: 8516LEDW
120 cm x 75 cm
16 Light bulbs
11,2 W · 4,5 kg



★ Art. No.: 9424LEDW
150 cm x 150 cm
24 Light bulbs
16,8 W · 6 kg



★ Art. No.: 91008LEDW
135 cm x 150 cm
24 Light bulbs
16,8 W · 5,5 kg




★ Art. No.: 8830LEDW
135 x 150 cm
30 Light bulbs
21 W · 6,5 kg



★ Art. No.: 9552LEDW
220 cm x 125 cm
52 Light bulbs
36,4 W · 10 kg




★ Art. No.: 9026LEDW
90 cm x 110 cm
26 Light bulbs
18,2 W · 5 kg



★ Art. No.: 9212LEDW
60 cm x 115 cm
15 Light bulbs
10,5 W · 3 kg





★ Art. No.: 97169LEDW
90 cm x 220 cm
27 Light bulbs
18,9 W · 8 kg




★ Art. No.: 9524LEDW
120 cm x 210 cm
24 Light bulbs
16,8 W · 6,5 kg



★ Art. No.: 97182LEDW
90 cm x 220 cm
32 Light bulbs
22,4 W · 9 kg



★ Art. No.: 9740LEDW
120 cm x 250 cm
39 Light bulbs
27,3 W · 8 kg



★ Art. No.: 161010004
135 cm x 210 cm
40 Light bulbs
28 W · 9,5 kg



★ Art. No.: 9517LEDW
80 cm x 185 cm
17 Light bulbs
11,9 W · 6 kg



★ Art. No.: 8517LEDW
110 cm x 140 cm
21 Light bulbs
14,7 W · 5 kg



★ Art. No.: 8514LEDW
95 cm x 75 cm
14 Light bulbs
9,8 W · 3,5 kg



★ Art. No.: 96111LEDW
100 cm x 130 cm
22 Light bulbs
15,4 W · 5 kg



★ Art. No.: 9749LEDW
130 cm x 230 cm
50 Light bulbs
35 W · 10,5 kg



★ Art. No.: 161011106
145 cm x 250 cm
49 Light bulbs
62 W · 14,5 kg



★ Art. No.: 161010006
145 cm x 250 cm
49 Light bulbs
62 W · 14,5 kg





Art. No.: 99SV250S
Total height approx. 250 cm
incl. 6 LED-Stars
714 LEDs · 41,6 W · 22,5 kg



Example with
Firelamp-Candles.



Art. No.: 99SV150LEDW
Total height approx. 190 cm
incl. LED-Star · 40 cm on top
296 LEDs · 18,2 W · approx. 25 kg

Art. No.: 99SV400LEDW
Total height approx. 460 cm
incl. LED-Star 60 cm on top
1.378 LEDs · 108,6 W · 110 kg

Art. No.: 99SV300LEDW
Cone-shaped Christmas tree
for mounting on poles.
Green garlands.
230 V LED light strings,
rubber cable, incl. LED star,
IP67, 1290 warm white LEDs
83,6 W · 74 kg
Total height including star: 360 cm

Art. No.: SOH-3 Special bracket
for pole mounting.
Art. No.: 2102 Aluminium Pole
Height 600 cm · ø 10 cm
Wall strength 5 mm

The ground socket has to be
provided by customer.





Giant trees ranging from 3 m to 10 m in height, suitable for indoor use.

Cone-shaped fir trees up to 30 m in height, suitable for outdoor use.

Steel frame, LED lighting.

Prices and specifications available on request.





★ Art. No.: 201210090
Total height approx. 450 cm
Base frame 6 parts,
ø 215 cm · 93 W · 132 kg

★ Art. No.: 201210091
Total height approx. 300 cm
Base frame 4 parts,
ø 140 cm · 63,5 W · 70 kg

Cone trees with green garlands, incl. Maxi LED (MST400) 230 volts, IP67,
aluminium profile - modern look for roundabouts, squares and Christmas markets.

★ Cone tree with branches
Art. No.: 201210088
Total height approx. 450 cm
Base frame 6 parts,
150,6 W · 150 kg

optional: 3D star (110 cm)
as a tree topper

★ Cone tree with branches
Art. No.: 20120089
Total height approx. 300 cm
Base frame 4 parts,
92,3 W · 80 kg

optional: 3D star (80 cm)
as a tree topper

★ Art. No.: SOH-3 Special bracket
for pole mounting.
Art. No.: 2102 Aluminium Pole
Height 600 cm · ø 10 cm
Wall strength 5 mm

The ground socket has to be
provided by customer.





★ Art. No.: 99ML150LEDW-SO
Total height approx. 150 cm
ø 65 cm · 19,2 W · 10 kg

★ Art. No.: 99ML200LEDW-SO
Total height approx. 200 cm
ø 90 cm · 25,6 W · 19 kg

★ Art. No.: 99ML300LEDW-SO
Total height approx. 300 cm
ø 130 cm · 32 W · 27,5 kg

Sizes 200 cm and 300 cm
also suitable for central mast mounting

★ Art. No.: SOH-3 Special bracket
for pole mounting.
Art. No.: 2102 Aluminium Pole
Height 600 cm · ø 10 cm
Wall strength 5 mm

The ground socket has to be provided
by customer.

Cone trees without garlands, incl. Maxi-LED (MST400) 230 volts, IP67,
aluminium profile, coloured powder coating also possible (additional charge).

★ Art. No.: 99MX150LEDW-SO
Total height approx. 150 cm
ø 65 cm · 55,2 W · 13 kg

★ Art. No.: 99MX200LEDW-SO
Total height approx. 200 cm
ø 90 cm · 92,8 W · 22,5 kg

★ Art. No.: 99MX300LEDW-SO
Total height approx. 300 cm
ø 130 cm · 110,4 W · 33,5 kg





Art. No.: 232210028
Cone tree with golden bow
Height approx. 300 cm
ø 130 cm · 82 W · 35 kg



Art. No.: 212210033
Cone tree with golden bow
Height approx. 400 cm
ø 175 cm · 132 W · 57 kg



Art. No.: 238210030
Light column with golden bow and mineral fibre balls
Total height approx. 400 cm
ø 100 cm · 190 W · 62 kg



Art. No.: I-ERC-08-18-001



Art. No.: I-ERC-08-18-003



Art. No.: I-TREE-CCU-01-18-011



Art. No.: I-TREE-CCU-01-18-012

Our cone trees are available in various sizes and are suitable for a wide range of indoor and outdoor applications. All models are high-quality and visually pleasing.



Available sizes:

- Ø approx. 85 cm x 200 cm
- Ø approx. 120 cm x 300 cm
- Ø approx. 150 cm x 400 cm
- Ø approx. 185 cm x 500 cm
- Ø approx. 220 cm x 600 cm
- Ø approx. 250 cm x 700 cm
- Ø approx. 285 cm x 800 cm
- Ø approx. 320 cm x 900 cm
- Ø approx. 350 cm x 1000 cm
- Ø approx. 410 cm x 1400 cm
- Ø approx. 545 cm x 1600 cm
- Ø approx. 610 cm x 1800 cm

Modern and sustainable ideas for lighting and decoration:
Decorations made from mineral fibre – mineral-based, organic, recyclable



Today more than ever, environmental responsibility plays an important role in decorative lighting concepts. Our decorative elements made from mineral fibre reflect this sustainable approach. Their exceptional durability, longevity and recyclability offer significant advantages over many conventional materials.

The primary component of our mineral fibre products is quartz sand – a natural resource available in almost inexhaustible quantities. We guarantee a mineral content of more than 90% in our glass fibre materials. In addition, the production process for mineral fibre is considerably less energy-intensive compared to many alternative materials.

Mineral fibre is fully weather-resistant, UV-resistant and lightweight. Its unique, delicate structure creates an elegant appearance while allowing our energy-efficient LED lighting to shine with exceptional brilliance. The material is highly durable, impact-resistant and retains its quality and appearance even after many years of use. Thanks to its flexibility and low weight combined with outstanding stability, even large-scale and oversized decorative elements can be produced with ease.

All products are also available in B1 flame-retardant quality.

Patented manufacturing in Germany ensures short transport routes throughout Europe, reducing emissions and minimising environmental impact.

FOR THE ENVIRONMENT – FOR NATURE – FOR PEOPLE

Unique shapes, many sizes –
this is going to be gigantic!



3D-Stars in beautiful shapes

with string lights 230 V, space-saving storage .



Art. No.: 900212LEDWB0
approx. 700 cm Ø · 3.384 LEDs
225 W · 186 kg



Art. No.: 900303LEDWB0
approx. 525 cm Ø · 2.256 LEDs
150 W · 150 kg



Art. No.: 900247LEDWB0
approx. 360 cm Ø · 1.128 LEDs
75 W · 54 kg



Art. No.: 900300LEDWB0
approx. 245 cm Ø · 960 LEDs
72 W · approx. 39 kg



Art. No.: 900295LEDWB0
approx. 140 cm Ø · 376 LEDs
25 W · approx. 8 kg



Art. No.: 900368LEDWB0
approx. 100 cm Ø · 160 LEDs
12 W · approx. 6 kg

3D stars measuring 100 cm and 140 cm are also available as pole motifs on the sides.





Motifs made from mineral fibres: 3D-Stars ... a variety of stars for 1001 lighting effects

all products available in B0 and "B1/flame retardant"-quality



Art. No.: 900215LEDWB0
3D Mineral fibre Star, white,
100 x 100 x 36 cm, 2 parts,
188 LEDs · 12,5 W · 3,8 kg



Art. No.: 900225BLEDWB0
3D Mineral fibre Star,
bamboo-colored,
130 x 130 x 52 cm, 2 parts,
282 LEDs · 18,8 W · 6,7 kg



Art. No.: 900215BLEDWB0
3D Mineral fibre Star,
bamboo-colored,
100 x 100 x 36 cm, 2 parts,
188 LEDs · 12,5 W · 3,8 kg



Example with 3D-Cristal and 3D-Star.



Art. No.: 900095LEDWB0
3D Cristal, 90 x 150 cm,
2 parts, 188 LEDs
12,5 W · 3,5 kg

Motifs with warm white string lights,
230 V, IP67, long service life, low
energy consumption. All motifs on
this page are suitable for mounting
on steel cables across the street or
on poles.

3D-Motifs made from mineral fibres: Maximum impact – minimal storage space

with string lights 230 V, space-saving storage,
all designs are also available in a cool white version.



Art. No.: 900380LEDWB0-12z
approx. 140 cm Ø · 282 LEDs
18,8 W · 11 kg



Art. No.: 900354LEDWB0-12z
approx. 80 cm Ø · 120 LEDs
9 W · 5 kg



Art. No.: 900356LEDWB0-12z
approx. 110 cm Ø · 188 LEDs
12,5 W · 6 kg



Art. No.: 900355LEDWB0-12z
approx. 60 cm Ø · 94 LEDs
6,3 W · 2,5 kg



Example for a Pole motif:
3D-Star as Pole motif



Tree example:
3D-Star as a tree topper



Art. No.: 900010LEDWB0
3D Mineral fibre Star,
white, 100 x 100 x 100 cm, 2
parts, 188 LEDs · 12,5 W · 3,7 kg



Art. No.: 900011LEDWB0
3D Mineral fibre Star,
white, 150 x 150 x 150 cm, 2 parts
282 LEDs · 18,8 W · 6,5 kg

... make trees, building facades and streets shine



Art. No.: 900030LEDWB0
approx. 80 cm Ø · 94 LEDs
6,3 W · 1,5 kg



Art. No.: 900012LEDWB0
approx. 50 cm Ø · 40 LEDs
3 W · 1 kg



Art. No.: 900357LEDWB0
approx. 60 cm Ø · 40 LEDs
3 W · 1 kg



Art. No.: 900012LEDB0
approx. 50 cm Ø · 40 LEDs
3 W · 1 kg




All motifs are also available in a cool white finish or gold paint.



Mineral fibre combinations:

Starlight magic during the day and at night



★ Art. No.: 178212351
approx. 95 cm x 170 cm
220 LEDs · 12 W · 5 kg



★ Art. No.: 178212347
approx. 100 cm x 220 cm
260 LEDs · 15 W · 7,5 kg




★ Art. No.: 98452LEDW1-SO1
approx. 115 cm x 195 cm
inner ring 100 cm Ø
540 LEDs · 25,7 W · 7 kg



Mineral fibre designs: 3D decorations ... Balls from S to XXL

All articles are available in B0 and in "B1/fire resistant"-quality.



Art. No.: 560012LEDWB0
3D Ball, 100 cm · 2 parts ·
282 LEDs · 18,8 W · 7,0 kg



Art. No.: 560011LEDWB0
3D Ball, 50 cm · 2 parts ·
94 LEDs · 6 W · 2 kg





Art. No.: 560014LEDWB0
3D Ball, 75 cm · 2 parts ·
188 LEDs · 12,5 W · 5,1 kg



Art. No.: 560015LEDWB0
3D Ball, 40 cm · 2 parts ·
40 LEDs · 3 W · 1,2 kg

Balls also available in diameters of 130 cm and 190 cm, and in other special sizes on request.




Art. No.: 560015LEDWB0
3D Ball, gold painted,
40 cm · 2 parts · 40 LEDs ·
3 W · 1,2 kg

Mineral fibre designs are also available in colour or with a gold finish at an additional cost.







Building design with frame, radiant star and warm white light strings.



Art. No.: 560011LEDWSTB0 · 3D Radiant Star,
100 cm · 4 parts · 958 LEDs · 51,9 W · 9,5 kg





Art. No.: 560014LEDWSTB0 · 3D Radiant Star,
150 cm · 4 parts · 1.484 LEDs · 80,9 W · 15 kg



Art. No.: 560017LEDWSTB0 · 3D Radiant Star,
250 cm · 4 parts · 2.536 LEDs · 139 W · 33 kg



Building design with red bow and ribbon, created with red mineral fibre, red light strings and white rope light




Art. No.: 900002LEDR-LSWB0
2D-Rectangle Ribbon
90 cm x 150 cm
120 LEDs red, 102 LEDs white
14,7 W · 6,5 kg



Art. No.: 170232569B0
2D-Mineral fibre Bow
300 cm x 300 cm
640 LEDs red, 320 LEDs white
87,9 W · 23 kg




All articles available in B0 and in "B1/fire resistant"-quality



★ Art. No.: 900025LEDWB0
3D-Cube, 2 parts, 75 x 75 x 75 cm
282 LEDs · 27,6 W · 7,3 kg

★ Art. No.: 900024LEDWB0
3D-Cube, 2 parts, 50 x 50 x 50 cm
188 LEDs · 18,4 W · 4,2 kg



★ Art. No.: 900130LEDWB0
3D-Diamond, 2 parts, 75 x 60 cm
94 LEDs · 6,3 W · 4,8 kg

★ Art. No.: 900129LEDWB0
3D-Diamant, 2 parts, 50 x 40 cm
40 LEDs · 3 W · 2,1 kg




★ Art. No.: 900100LEDWB0
3D-Cylinder, 2 parts, 20 x 50 cm
40 LEDs · 3 W · 1,3 kg

★ Art. No.: 900071LEDWB0
3D-Cylinder, 2 parts, 50 x 100 cm
188 LEDs · 12,5 W · 4,8 kg



★ Art. No.: 900071LEDWKB0
3D-Candle, 3 parts, 50 x 150 cm
332 LEDs · 21,1 W · 6,7 kg

★ Art. No.: 900100LEDWKB0
3D-Candle, 3 parts, 20 x 75 cm
112 LEDs · 5,9 W · 2,1 kg




★ Art. No.: 900108LEDWB0
3D-Drop with base part, 2 parts,
75 x 132 cm, 188 LEDs · 12,5 W · 5,1 kg




Station design with drops and light curtains

Motifs made from mineral fibre ...2D-Decorations



★ Art. No.: 900191LEDWB0
2D Snowflake,
80 cm · 296 LEDs
17,4 W · 3,6 kg
warm-white/warm-white



★ Art. No.: 900192LED-WWB0
2D Snowflake,
120 cm · 504 LEDs
26,1 W · 5,7 kg
cool-white/warm-white



★ Art. No.: 900193LEDWB0
2D Snowflake,
150 cm · 566 LEDs
32,5 W · 7,7 kg
warm-white/warm-white



★ Art. No.: 900021LEDWDB0
2D-Deco Ball,
60 cm · 256 LEDs
23 W · 2,7 kg
warm-white/warm-white




★ Art. No.: 900020LED-WWDB0
2D Deco Ball,
100 cm · 404 LEDs
36,8 W · 5 kg
cool-white/warm-white



Example Pole motif


All products on this page are available with various combinations of warm white and cool white LEDs. Pole, cable or wall mounts are available.



★ Art. No.: 900217LEDWB0
2D Gift Box,
60 x 90 cm · 364 LEDs
20,1 W · 4 kg
warm-white/warm-white




★ Art. No.: 900001LED-WWB0
2D Gift Box,
90 x 125 cm · 512 LEDs
28,8 W · 5,7 kg
cool-white/warm-white



★ Art. No.: 900002LEDWB0
2D Gift Box,
100 x 190 cm · 728 LEDs
41 W · 8,6 kg
warm-white/warm-white




★ Art. No.: 96455LEDWB0 · 600 x 180 cm · 79,5 W · approx. 19 kg



★ Art. No.: 900031LEDWDP1:
200 x 150 cm · 25 W · 6 kg

★ Art. No.: 900031LEDWDP1:
200 x 150 cm · 25 W · 6 kg

★ Art. No.: 900031LEDWDP1:
200 x 150 cm · 25 W · 6 kg



★ Art. No.: 900031LEDW:
200 x 35 cm · 6 W · 2,1 kg



★ Art. No.: 228210036 · 595 x 125 cm ·
184 W · approx. 20,5 kg

★ Art. No.: 228210037 · 235 x 275 cm · 73,6 W · approx. 10 kg
= suitable Pole motif vertical



★ Art. No.: 228210036
595 x 125 cm
184 W · approx. 20,5 kg

★ Art. No.:
900642LEDWB0
Ø approx. 125 cm


★ Art. No.: 228210036
595 x 125 cm
184 W · approx. 20,5 kg

Design examples: All products in the mineral fibre range are also suitable for use in illuminated street motifs lines.



3D-Motifs made from mineral fibre ... stylish and elegant

All articles are available in B0 and in "B1/fire resistant"-quality.




★ Art. No. 900132LEDWB0
3D Ribbon
280 x 90 x 90 cm
228 LEDs · 15,5 W · 6,5 kg



★ Art. No. 900302LEDWB0
3D Ribbon
75 x 30 x 30 cm
40 LEDs · 3 W · 1,3 kg

★ Art. No. 900018LEDWB0
3D Ribbon
150 x 50 x 50 cm
80 LED · 6 W · 2,5 kg




Example: combination of ribbons and balls



★ Art. No.: 900132LEDWB0
3D Ribbon
280 x 90 x 90 cm
228 LEDs · 15,5 W · 6,5 kg

★ Art. No.: 560014LEDWB0
3D Ball · 75 cm · 2 parts
188 LEDs · 12,5 W · 5,1 kg

★ Art. No.: 900132LEDWB0
3D Ribbon
280 x 90 x 90 cm,
228 LED · 15,5 W · 6,5 kg




★ Art. No. FIB-FROHESFESTLEDWB0: 2D Lettering Frohes Fest
600 x 130 cm, 2 parts , 900 LED, 45 W, 20,5 kg



Example for a illuminated street motifs:
combination of ribbons and balls

Cones made from mineral fibre ...provide volume and light



Art. No.: 545121LEDWB0
3D Cone, 180 x 96 cm
188 LEDs · 12,5 W · 4,2 kg



Art. No.: 545110LEDWB0
3D Cone, 120 x 60 cm
94 LEDs · 6,3 W · 2,2 kg



Art. No.: 545130LEDWB0
3D Cone, 250 x 115 cm
282 LEDs · 18,8 W · 7,7 kg



Art. No.: 545100LEDWB0
3D Cone, 80 x 40 cm
40 LEDs · 3 W · 1,2 kg

Cones can be used as a versatile element of decoration for places, streets, Christmas markets and gardens



with high-quality string lights and warm-white 24 V rope lights , mounted on an aluminium profile, protection class II / III, IP44/67, CE mark.



★ Snowman, big,
Art. No.: 192530010
125 cm x 235 cm x 120 cm
21,8 W · approx. 29 kg
platform available on request



★ Snowman, small,
Art. No.: 192530036
85 cm x 170 cm x 45 cm
12,4 W · approx. 9 kg
platform available on request



★ Golden angel
Art. No.: 182425236
225 cm x 260 cm x 65 cm
110 W · approx. 28,5 kg
platform available on request



★ Picture frame
Art. No.: 192424337
300 cm x 280 cm x 150 cm
116 W · approx. 46 kg



★ Silver moon
Art. No.: 192530053
205 cm x 235 cm x 55 cm
16,2 W · approx. 64 kg



★ Sailing boat
Art. No.: 220111357
approx. 370 cm x 500 cm
225 W · 46 kg
auf Wunsch zzgl. Podest





Brilliant 3D boxes – depending on size, they can be hung up or stood up



Art. No.: I-EWZ-07-15-002(50)
50 cm x 60 cm x 50 cm
782 LEDs · 58 W · 11 kg



Art. No.: I-EWZ-07-15-002(75)
75 cm x 95 cm x 75 cm
1.212 LEDs · 90,5 W · 18 kg

Giant Gift boxes...



Art. No.: I-EWZ-07-15-002(200)
200 cm x 250 cm x 200 cm
3.802 LEDs · 101 kg



Art. No.: I-EWZ-07-15-002(150)
150 cm x 180 cm x 150 cm
2.880 LEDs · 258 W · 75 kg



Art. No.: I-EWZ-07-15-002(125)
125 cm x 155 cm x 125 cm
2.150 LEDs · 162,5 W · 48 kg





Magical 3D Trees – rooted in nature, shaped by light.



Art. No.: I-240512841
200 cm x 250 cm x 200 cm
1.400 LEDs · 140 W · 74 kg



Art. No.: I-240512842
250 cm x 350 cm x 250 cm
2.600 LEDs · 260 W · 96 kg



Art. No.: I-240512847
390 cm x 500 cm x 390 cm
4.900 LEDs · 490 W · 158 kg



©DL Fotografie Daniel Löwede

Experience Christmas from the inside — with the walk-in XXL ornament



Art. No.: I-EFR-02-20-005
300 cm x 315 cm x 300 cm
9.864 LEDs · 831 W · 166 kg



Art. No.: I-EFR-02-19-038
490 cm x 430 cm x 490 cm
22.036 LEDs · 1519 W · 330 kg



Art. No.: I-EFR-02-19-043
300 cm x 315 cm x 265 cm
8.088 LEDs · 530 W · 150 kg



Giant stars where sparkling lights guide the way to the stars



Art. No.: I-EBX-07-20-006
670 cm x 525 cm x 80 cm
5.576 LEDs · 419 W · 139 kg




Art. No.: I-EFR-07-20-018
415 cm x 220 cm x 60 cm
2.152 LEDs · 148 W · 55 kg



Art. No.: I-EFR-07-20-019
650 cm x 560 cm x 80 cm
6.852 LEDs · 513 W · 154 kg


Passageways with striking luminosity and timeless elegance.



★ Art. No.: I-EBX-04-20-001
530 cm x 310 cm x 60 cm
5.444 LEDs · 431 W · 97 kg



★ Art. No.: I-EBX-07-18-003
600 cm x 400 cm x 80 cm
6.544 LEDs · 436 W · 116 kg



★ Art. No.: I-EBX-08-23-007
350 cm x 250 cm x 200 cm
1.500 LEDs · 150 W · 61 kg




★ Art. No.: I-EBX-07-19-026
445 cm x 305 cm x 50 cm
2.916 LEDs · 174 W · 57 kg

Let the magic of Christmas begin with this gift.



★ Art. No.: I-EBX-08-25-004
700 cm x 350 cm x 150 cm
7.400 LEDs · 740 W · 554 kg



★ Art. No.: I-EFR-04-19-005
440 cm x 445 cm x 440 cm
17.824 LEDs · 896 W · 380 kg




★ Art. No.: I-EFR-04-20-009
305 cm x 425 cm x 375 cm
4.808 LEDs · 317 W · 245 kg



★ Art. No.: I-EFR-04-20-011
305 cm x 425 cm x 375 cm
3.408 LEDs · 177 W · 160 kg
(see next page)

One maxi gift — endless possibilities all year round



Art. No.: I-ENX-11-20-022

Art. No.: I-ENX-11-22-007

Art. No.: I-ENX-11-21-042

Art. No.: I-ENX-11-20-027




Art. No.: I-ENX-11-23-005

Art. No.: I-ENX-11-23-004

Built for maximum creative freedom.

Once installed, the core structure remains in place, allowing panels to be exchanged quickly and seamlessly.

All panels measure 100 cm x 320 cm



Art. No.: I-ENX-11-21-004
 Art. No.: I-ENX-11-21-001
 Art. No.: I-ENX-11-21-002
 Art. No.: I-ENX-11-21-003



Art. No.: I-ENX-11-20-023
 Art. No.: I-ENX-11-20-024
 Art. No.: I-ENX-11-20-025
 Art. No.: I-ENX-11-20-026



Art. No.: I-ENX-11-21-032
 Art. No.: I-ENX-11-21-033
 Art. No.: I-ENX-11-21-034
 Art. No.: I-ENX-11-21-035

Scan to view the video



Grand dimensions, grand impact — festive bows for impressive buildings.



Art. No.: I-EWE-21-19-002
220 cm x 170 cm x 40 cm
1.278 LEDs · 94 W · 21 kg




Art. No.: I-EWE-21-19-003
220 cm x 210 cm x 40 cm
1.838 LEDs · 135 W · 32 kg



Art. No.: I-EWE-21-19-004(125)
110 cm x 125 cm
438 LEDs · 32 W · 7 kg



Art. No.: I-EWE-21-19-004(250)
220 cm x 250 cm
1.048 LEDs · 77 W · 19 kg



Art. No.: I-EWE-21-18-001(40)
200 cm x 40 cm
280 LEDs · 21 W · 6 kg



Art. No.: I-EWE-21-18-001(60)
200 cm x 60 cm
330 LEDs · 25 W · 7 kg



Art. No.: I-EWE-21-18-001(100)
200 cm x 100 cm
430 LEDs · 33 W · 10 kg



The magic of the North Pole brought together for unforgettable Christmas worlds.



★ Art. No.: I-ESX-05-19-006
180 cm x 200 cm x 100 cm
900 LEDs · 90 W · 36 kg

★ Art. No.: I-EFR-03-23-003
130 cm x 200 cm x 165 cm
960 LEDs · 75 W · 40 kg

★ Art. No.: I-EFR-02-16-005
180 cm x 220 cm x 180 cm
3.760 LEDs · 303 W · 76 kg



★ Art. No.: I-EFR-05-20-001
195 cm x 110 cm x 120 cm
1.380 LEDs · 75 W · 57 kg

★ Art. No.: I-EFR-07-22-061
100 cm x 200 cm x 53 cm
4.710 LEDs · 390 W · 38 kg

When magical creatures come to life in the warm glow of winter.



Art. No.: I-EFP-05-20-001(180)
135 cm x 180 cm x 80 cm
600 LEDs · 60 W · 35 kg



Art. No.: I-EFP-05-20-001(220)
165 cm x 220 cm x 100 cm
800 LEDs · 80 W · 51 kg



Art. No.: I-EFP-05-20-001(250)
190 cm x 250 cm x 110 cm
1000 LEDs · 100 W · 81 kg



Art. No.: I-EFP-23-20-002(130)
115 cm x 130 cm x 45 cm
600 LEDs · 60 W · 36 kg



Art. No.: I-EFP-23-20-002(160)
140 cm x 160 cm x 55 cm
800 LEDs · 80 W · 63 kg



Art. No.: I-EFP-23-20-002(190)
170 cm x 190 cm x 65 cm
1200 LEDs · 120 W · 84 kg



Art. No.: I-EFP-05-23-003
190 cm x 400 cm x 250 cm
2.000 LEDs · 200 W · 214 kg



Art. No.: I-EFP-05-24-001(200)
165 cm x 200 cm x 90 cm
1.000 LEDs · 100 W · 43 kg



Art. No.: I-EFP-05-24-001(230)
190 cm x 230 cm x 100 cm
1.100 LEDs · 110 W · 47 kg



Art. No.: I-EFP-05-24-001(250)
210 cm x 250 cm x 110 cm
1.200 LEDs · 120 W · 51 kg



Art. No.: I-EFP-05-24-002(150)
115 cm x 150 cm x 45 cm
600 LEDs · 60 W · 34 kg



Art. No.: I-EFP-05-24-002(180)
135 cm x 180 cm x 50 cm
800 LEDs · 60 W · 37 kg



Art. No.: I-EFP-05-24-002(220)
170 cm x 220 cm x 65 cm
1.000 LEDs · 100 W · 43 kg



- ★ Art. No.: I-EFP-05-14-004(130)
100 cm x 130 cm x 90 cm
500 LEDs · 50 W · 15 kg
- ★ Art. No.: I-EFP-05-14-004(220)
160 cm x 220 cm x 100 cm
1.200 LEDs · 120 W · 33 kg
- ★ Art. No.: I-EFP-05-14-004(300)
190 cm x 300 cm x 110 cm
1.700 LEDs · 170 W · 48 kg
- ★ Art. No.: I-EFP-05-14-004(500)
400 cm x 500 cm x 200 cm
6.000 LEDs · 600 W · 173 kg

- ★ Art. No.: I-EFP-05-14-001(130)
100 cm x 130 cm x 90 cm
500 LEDs · 50 W · 15 kg
- ★ Art. No.: I-EFP-05-14-001(220)
160 cm x 220 cm x 100 cm
1.000 LEDs · 100 W · 30 kg
- ★ Art. No.: I-EFP-05-14-001(300)
190 cm x 300 cm x 110 cm
1.700 LEDs · 170 W · 49 kg

- ★ Art. No.: I-EFP-05-18-008(150)
140 cm x 150 cm x 80 cm
1.200 LEDs · 120 W · 29 kg



- ★ Art. No.: I-EFP-05-14-002(80)
140 cm x 80 cm x 60 cm
500 LEDs · 50 W · 15 kg
- ★ Art. No.: I-EFP-05-14-002(130)
200 cm x 130 cm x 80 cm
1.200 LEDs · 120 W · 28 kg
- ★ Art. No.: I-EFP-05-14-002(170)
300 cm x 170 cm x 100 cm
1.200 LEDs · 120 W · 28 kg

- ★ Art. No.: I-EFP-05-18-004(130)
200 cm x 130 cm x 80 cm
1.200 LEDs · 120 W · 32 kg
- ★ Art. No.: I-EFP-05-18-004(170)
300 cm x 170 cm x 110 cm
1.700 LEDs · 170 W · 52 kg

- ★ Art. No.: I-EFP-05-18-002(220)
185 cm x 220 cm x 140 cm
1.600 LEDs · 160 W · 105 kg
- ★ Art. No.: I-EFP-05-18-002(300)
250 cm x 300 cm x 195 cm
2.000 LEDs · 200 W · 122 kg
- ★ Art. No.: I-EFP-05-18-002(420)
370 cm x 420 cm x 260 cm
6.000 LEDs · 600 W · 286 kg

Light decorations that transform shopping centers into immersive worlds of experience.




Art. No.: I-ESX-02-21-009
400 cm x 370 cm x 300 cm
1.080 LEDs · 45 W · 354 kg



Art. No.: I-ESX-02-21-008
400 cm x 370 cm x 300 cm
6.360 LEDs · 533 W · 481 kg

Feel free to contact us for your customized concept design.



Art. No.: I-EBX-07-22-002
650 cm x 350 cm x 110 cm
13.920 LEDs · 1166 W · 173 kg



Art. No.: I-EBX-07-22-003
400 cm x 380 cm x 120 cm
14.800 LEDs · 1214 W · 105 kg



Designed for shopping centers, furniture stores, and retail spaces featuring 230 V IP67 LED lighting, garlands, and decorative materials with fire safety class B1.



3D garlands, wreaths and trees, along with decorative motifs and LED string lights, designed to create customized project concepts. IP67-rated and flame-retardant according to B1 standards.



★ Art. No.: 1809E-ST180WW
75 cm x 75 cm x 25 cm
180 LED · 9 W · 4 kg



★ Art. No.: WW50_Deko1
50 cm Ø



★ Art. No.: WW75_D-CLASSIC(80LEDW)
75 cm Ø · 6 W · 6,3 kg



★ Art. No.: 11708_DEKO1
270cm Length · 30cm Ø



★ Art. No.: 33372_D-CLASSIC(320LEDW)
270cm Length, approx. 40 cm Ø
24 W · 14,5 kg




★ Art. No.: K210_Deko1
Height 210cm



★ Art. No.: HANA210_D-CLASSIC(560LEDW)
Height 210 cm · 42 W · 44 kg

All balls are available in the following sizes: 60 / 80 / 100 / 120 / 150 / 200 / 250 mm.
Balls marked with * are also available in 500 and 600 mm.
All balls are made from PVC.

	SHINY		MATT		GLITTER
	GOL01-SH		GOL01-MT		GOL01-GL
	GOL02-SH		GOL02-MT		GOL02-GL
	SIL01-SH		SIL01-MT		SIL01-GL
	CHA01-SH		CHA01-MT		CHA01-GL
	COP01-SH		COP01-MT		COP01-GL
	RED01-SH		RED01-MT		RED01-GL
	BLU01-SH		BLU01-MT		BLU01-GL
	GRE01-SH		GRE01-MT		GRE01-GL
	BLA01-SH		BLA01-MT	* 	BLA01-GL
	WHI01-SH		WHI01-MT		WHI01-GL



OPAL




GOL01-OP




GOL02-OP



SIL01-OP



CHA01-OP



COP01-OP



RED01-OP



BLU01-OP



GRE01-OP



BLA01-OP



WHI01-OP


10 colors – 4 versions
each for trees, wreaths,
and 3D decorations.

Gesis plug-in connection system with IP66 protection rating for illumination flat cables and standard flexible cables. Socket and plug components with screw terminals for cables from 0.75 mm² to 1.5 mm². The locking mechanism can be opened at any time. For customized solutions, please contact us. All motifs are available with gesis connectors. Price on request.



Art. No.: 518.0000.7
Pole socket for street lighting.
M25 socket with screw cap.

6 m flexible cable,
3-core, pre-assembled.



Art. No.: 021.4453.1 Socket for 2-core illumination flat cable.
Art. No.: 021.4053.1 Socket for 2-core flexible cable.



Art. No.: 022.4453.1 Plug for 2-core illumination flat cable.
Art. No.: 022.4053.1 Plug for 2-core flexible cable.



Art. No.: 404.9999.7
Surface-mounted box for mounting frame and appliance connection socket



Art. No.: 400.9999.7
Mounting frame
Art. No.: 031.5053.1
Appliance connection socket



Art. No.: 020.0153.1 Distribution block, 1 plug input, 3 socket outputs, suspension device, 2-core.



Art. No.: 031.5053.1
Appliance connection socket, 3-core, M25 for street lighting and poles, 3-core.



Art. No.: Z5.564.45531
Cap for socket



Art. No.: 414.6205.2
Cap for socket with captive protection

Our mounting accessories cover installation on poles, walls, and cable spans. Custom-made constructions are also available upon individual customer request. The pole and wall brackets additionally simplify installation, as their design serves as a mounting aid by allowing the motifs to be hooked in at the bottom.




★ Art. No.: MS-2
Band clamp and clamping plate for pole mounting from 6 cm, set of 2 pieces.



Pole bracket mounting aid WH-3 incl. clamping plate.



★ Art. No.: WH-1
Wall bracket for 90° mounting.



★ Art. No.: WH-2
Wall bracket for flat-wall mounting.

★ Art. No.: WH-3
for pole mounting.




★ Art. No.: SH-1
Rope mount with carabiner hook




★ Art. No.: SH-3a
Cable bracket for mineral fiber motifs up to 50 cm.

★ Art. No.: SH-3
Cable bracket for mineral fiber motifs up to 60 cm.



★ Art. No.: WH-3
Alu-Profile 90°



★ Art. No.: MS-2 Universal band clamp for pole mounting from 6 cm diameter.



★ Screw pipe clamp according to pole diameter.

COLLECTION 80



80 YEARS OF
ESSERT-ILLUMINATIONEN

Light Emotions



Essert-Illuminationen Andreas Essert e.K.
Etterweg 39 | D-63928 Eichenbühl
Tel.: +49 (0) 9371 9474-200 | E-Mail: licht@essert.de | www.essert.de



www.essert.de

